# **SAFETY DATA SHEET**

Version 5.5 Revision Date 05/27/2016 Print Date 07/27/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Magnesium chloride 0.2M – HEPES sodium salt pH

7.5; 0.1M – 2-propanol 30% solution

Product Number : 73682 Brand : Sigma

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma - 73682 Page 1 of 9

| P264               | Wash skin thoroughly after handling.   |
|--------------------|--|
| P271               | Use only outdoors or in a well-ventilated area.  |
| P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.                     |
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312               | Call a POISON CENTER/doctor if you feel unwell.  |
| P337 + P313        | If eye irritation persists: Get medical advice/ attention.   |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.   |
| P403 + P235        | Store in a well-ventilated place. Keep cool.   |
| P405               | Store locked up.   |
| P501               | Dispose of contents/ container to an approved waste disposal plant.  |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Synonyms : Crystallization solution 12/Fluka-Kit-No 82009

**Hazardous components** 

| Component                      |                                      | Classification   | Concentration  |
|--------------------------------|--------------------------------------|--|----------------|
| 2-Propanol                     |                                      |  |                |
| CAS-No.<br>EC-No.<br>Index-No. | 67-63-0<br>200-661-7<br>603-117-00-0 | Flam. Liq. 2; Eye Irrit. 2A;<br>STOT SE 3; H225, H319,<br>H336 | >= 30 - < 50 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma - 73682 Page 2 of 9

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

### Components with workplace control parameters

| Components with workplace control parameters |         |  |            |                                   |
|--|---------|--|------------|-----------------------------------|
| Component                                    | CAS-No. | Value  | Control    | Basis                             |
|  |         |  | parameters |                                   |
| 2-Propanol                                   | 67-63-0 | TWA  | 200.000000 | USA. ACGIH Threshold Limit Values |
|  |         |  | ppm        | (TLV)                             |
|  |         |  |            |                                   |
|  | Remarks | Central Nervous System impairment                                    |            |                                   |
|  |         | Upper Respiratory Tract irritation                                   |            |                                   |
|  |         | Eye irritation   |            |                                   |
|  |         | Substances for which there is a Biological Exposure Index or Indices |            |                                   |
|  |         | (see BEI® section)   |            |                                   |

Sigma - 73682 Page 3 of 9

| Not classifi   | able as a human c  | arcinogen   |
|----------------|--|---|
| TWA            | 200 ppm  | USA. ACGIH Threshold Limit Values (TLV)                 |
| Central Ne     | rvous System impa  |   |
| Upper Res      | piratory Tract irritat   | tion  |
| Eye irritation | on   |   |
|                |  | a Biological Exposure Index or Indices                  |
|                | (see BEI® section)   |   |
|                | able as a human c  |   |
| STEL           | 400 ppm  | USA. ACGIH Threshold Limit Values (TLV)                 |
|                | rvous System impa  |   |
|                | piratory Tract irritat   | tion  |
| Eye irritation |  |   |
| Substances     | s tor which there is   | a Biological Exposure Index or Indices                  |
| (see BEI®      |  |   |
|                | able as a human c  |   |
| STEL           | 400.000000<br>ppm  | USA. ACGIH Threshold Limit Values (TLV)                 |
| Central Ne     | <br>rvous System impa  | _ L<br>airment  |
|                | piratory Tract irritat   |   |
|                | Eye irritation Substances for which there is a Biological Exposure Index or Indic (see BEI® section) |   |
|                |  |   |
|                |  |   |
|                | able as a human c  | arcinogen   |
| TWA            | 400.000000   | USA. Occupational Exposure Limits                       |
|                | ppm  | (OSHA) - Table Z-1 Limits for Air                       |
|                | 980.000000   | Contaminants  |
|                | mg/m3  |   |
|                | The value in mg/m3 is approximate.   |   |
| TWA            | 400.000000   | USA. NIOSH Recommended                                  |
|                | ppm  | Exposure Limits   |
|                | 980.000000   |   |
|                | mg/m3  |   |
| ST             | 500.000000   | USA. NIOSH Recommended                                  |
|                | ppm  | Exposure Limits   |
|                | 1,225.000000   |   |
| DEL            | mg/m3  | California na maisaile la coma se ca                    |
| PEL            | 400 ppm  | California permissible exposure                         |
|                | 980 mg/m3  | limits for chemical contaminants (Title 8, Article 107) |
| STEL           | 500 ppm  | California permissible exposure                         |
|                | 1,225 mg/m3  | limits for chemical contaminants                        |
|                |  | (Title 8, Article 107)                                  |

**Biological occupational exposure limits** 

| Component  | CAS-No. | Parameters                      | Value           | Biological specimen | Basis   |
|------------|---------|---------------------------------|-----------------|---------------------|---|
| 2-Propanol | 67-63-0 | Acetone                         | 40.0000<br>mg/l | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |
|            | Remarks | End of shift at end of workweek |                 |                     |   |

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Sigma - 73682 Page 4 of 9

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

| a) | Appearance                                   | Form: liquid                   |
|----|--|--------------------------------|
| b) | Odour  | No data available              |
| c) | Odour Threshold                              | No data available              |
| d) | рН   | No data available              |
| e) | Melting point/freezing point                 | No data available              |
| f) | Initial boiling point and boiling range      | No data available              |
| g) | Flash point                                  | 19.0 °C (66.2 °F) - closed cup |
| h) | Evaporation rate                             | No data available              |
| i) | Flammability (solid, gas)                    | No data available              |
| j) | Upper/lower flammability or explosive limits | No data available              |
| k) | Vapour pressure                              | No data available              |
| l) | Vapour density                               | No data available              |
| m) | Relative density                             | 0.98 g/cm3 at 20 °C (68 °F)    |
| n) | Water solubility                             | No data available              |
| o) | Partition coefficient: n-octanol/water       | No data available              |
| p) | Auto-ignition temperature                    | No data available              |
| q) | Decomposition temperature                    | No data available              |
| r) | Viscosity                                    | No data available              |
| s) | Explosive properties                         | No data available              |
| t) | Oxidizing properties                         | No data available              |

Sigma - 73682 Page 5 of 9

### 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas, Sodium oxides, Magnesium oxide

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

Sigma - 73682 Page 6 of 9

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence (2-Propanol)

Liver - Irregularities - Based on Human Evidence (Magnesium chloride hexahydrate)

#### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol, solution

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1219 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: ISOPROPANOL, SOLUTION

**IATA** 

UN number: 1219 Class: 3 Packing group: II

Proper shipping name: Isopropanol, solution

Sigma - 73682 Page 7 of 9

### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

2-Propanol 67-63-0 1987-01-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

2-Propanol CAS-No. Revision Date 67-63-0 1987-01-01

#### Pennsylvania Right To Know Components

CAS-No. Revision Date

Water 7732-18-5

2-Propanol 67-63-0 1987-01-01

Magnesium chloride hexahydrate 7791-18-6

**New Jersey Right To Know Components** 

CAS-No. Revision Date

Water 7732-18-5

2-Propanol 67-63-0 1987-01-01

Magnesium chloride hexahydrate 7791-18-6 Sodium 4-(2-hydroxyethyl)piperazin-1-ylethanesulphonate 75277-39-3

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.
H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

### **NFPA Rating**

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling

Sigma - 73682 Page 8 of 9

or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5 Revision Date: 05/27/2016 Print Date: 07/27/2017

Sigma - 73682 Page 9 of 9