

SAFETY DATA SHEET

Creation Date 28-Apr-2014 Revision Date 28-Apr-2014 Revision Number 1

1. Identification

Product Name Barium Chloride Anhydrous (Laboratory)

Cat No.: B31-100C; B31-500

Synonyms Barium dichloride

Recommended Use Laboratory chemicals

Uses advised against No Information available

Details of the supplier of the safety data sheet

CompanyEmergency Telephone NumberFisher ScientificCHEMTREC®, Inside the USA: 800-

One Reagent Lane 424-9300

Fair Lawn, NJ 07410 CHEMTREC®, Outside the USA: 001-

Tel: (201) 796-7100 703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 3
Acute Inhalation Toxicity - Dusts and Mists Category 4

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed Harmful if inhaled



Precautionary Statements

Barium Chloride Anhydrous (Laboratory)

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth **Storage** Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Haz/Non-haz

Component	CAS-No	Weight %	
Barium chloride	10361-37-2	> 97	

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if symptoms occur..

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur...

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effectsNo information availableNotes to PhysicianTreat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire..

Unsuitable Extinguishing Media No information available.

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

No information available.

Upper No data available
Lower No data available

Sensitivity to Mechanical

No information available

Impact

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products Hydrogen chloride gas, Chlorine.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective dear

NFPA

Up

HealthFlammabilityInstabilityPhysical hazards201N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid

contact with skin, eyes and clothing.

Environmental Precautions Avoid release to the environment. See Section 12 for additional ecological Information.

Methods for Containment and Clean

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust

formation.

7. Handling and storage

HandlingUse only under a chemical fume hood. Ensure adequate ventilation. Avoid dust formation.

Avoid contact with skin, eyes and clothing. Do not breathe dust. Do not ingest.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Component ACGIH TLV		NIOSH IDLH
Barium chloride	TWA: 0.5 mg/m ³	(Vacated) TWA: 0.5 mg/m ³	IDLH: 50 mg/m ³
	_		TWA: 0.5 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	
Barium chloride	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and

safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN

149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorOdorless

Odor Threshold

pH

No information available.

No information available.

Melting Point/Range 960°C / 1760°F
Boiling Point/Range 1560°C / 2840°F
Flash Point Not applicable
Evaporation Rate negligible

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableProcurenegligible

Vapor Pressure negligible

Vapor Density No information available.

Relative Density 3.86

Solubility Soluble in water
Partition coefficient; n-octanol/water No data available

Autoignition Temperature

No information available.

No information available.

Viscosity
No information available.

Molecular FormulaBaCl2Molecular Weight208.27

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability

Stable under normal conditions. Hygroscopic.

Conditions to Avoid Avoid dust formation. Excess heat. Exposure to moisture.

Incompatible Materials No information available

Hazardous Decomposition Products Hydrogen chloride gas, Chlorine

Hazardous Polymerization Hazardous polymerization does not occur

Hazardous Reactions None under normal processing

11. Toxicological information

Acute Toxicity

Component Information

Component innormation			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barium chloride	118 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

Products

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information available.SensitizationNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Barium chloride	10361-37-2	Not listed				

Mutagenic EffectsNo information available.Reproductive EffectsNo information available.Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known.
STOT - repeated exposure None known.

Aspiration hazard No information available.

Symptoms / effects, both acute and delayed

No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Barium chloride	Not listed	Not listed	Not listed	14.5 mg/L EC50 = 48 h

Persistence and Degradability

Bioaccumulation/ Accumulation

No information available

No information available

No information available

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national

hazardous waste regulations to ensure complete and accurate classification

14. Transport information

DOT

UN-No UN1564

14. Transport information

Proper Shipping Name BARIUM COMPOUNDS, N.O.S.

Hazard Class 6.1 Packing Group III

TDG

UN-No UN1564

Proper Shipping Name BARIUM COMPOUNDS, N.O.S.

Hazard Class 6.1 Packing Group III

IATA

UN-No UN1564

Proper Shipping Name BARIUM COMPOUNDS, N.O.S.

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN1564

Proper Shipping Name BARIUM COMPOUNDS, N.O.S.

Hazard Class 6.1 Packing Group III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Barium chloride	Х	Х	-	233-788-1	-		Χ	Χ	X	X	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Barium chloride	10361-37-2	> 97	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes Chronic Health Hazard No

Barium Chloride Anhydrous (Laboratory)

Fire Hazard No Sudden Release of Pressure Hazard No Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLANot applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium chloride	-	X	Χ	-	Χ

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class D1B Toxic materials



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 28-Apr-2014

Revision Date 28-Apr-2014 Print Date 28-Apr-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS
