

# **SAFETY DATA SHEET**

Version 6.7 Revision Date 03/02/2024 Print Date 04/28/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifiers**

Product name : MOPS Product Number : M1254 Brand : Sigma CAS-No. : 1132-61-2

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		

## Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

## 2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Sigma - M1254

1.4

Page 1 of 9



## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	:	3-(N-Morpholino)propanesulfonic acid 4-Morpholinepropanesulfonic acid
Formula Molecular weight CAS-No. EC-No.	:	C <sub>7</sub> H <sub>15</sub> NO <sub>4</sub> S 209.26 g/mol 1132-61-2 214-478-5

No components need to be disclosed according to the applicable regulations.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma - M1254

Page 2 of 9



## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Not combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Ambient fire may liberate hazardous vapours.

#### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma - M1254

Page 3 of 9



## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Respiratory protection**

Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Sigma - M1254

Page 4 of 9



Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	2.5 - 4 at 209 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point: ca.281.6 °C (ca.538.9 °F) at ca.1,013.25 hPa - OECD Test Guideline 102
f)	Initial boiling point and boiling range	No data available
g)	Flash point	110 °C (230 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable. The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	ca.1.427 g/cm3 at 20.3 °C (68.5 °F) - OECD Test Guideline 109
	Relative density	ca.1.4220.3 °C - OECD Test Guideline 109
n)	Relative density Water solubility	ca.1.4220.3 °C - OECD Test Guideline 109 ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105
n) o)		ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline
	Water solubility Partition coefficient:	ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105 log Pow: -2.94 at 20 °C (68 °F) - Bioaccumulation is not
0)	Water solubility Partition coefficient: n-octanol/water Autoignition	<ul> <li>ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105</li> <li>log Pow: -2.94 at 20 °C (68 °F) - Bioaccumulation is not expected.</li> <li>&gt; 400 °C (&gt; 752 °F) - Relative self-ignition temperature for</li> </ul>
o) p)	Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition	<ul> <li>ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105</li> <li>log Pow: -2.94 at 20 °C (68 °F) - Bioaccumulation is not expected.</li> <li>&gt; 400 °C (&gt; 752 °F) - Relative self-ignition temperature for solidsdoes not ignite</li> </ul>
o) p) q)	Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature	<ul> <li>ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105</li> <li>log Pow: -2.94 at 20 °C (68 °F) - Bioaccumulation is not expected.</li> <li>&gt; 400 °C (&gt; 752 °F) - Relative self-ignition temperature for solidsdoes not ignite</li> <li>No data available</li> </ul>
o) p) q) r)	Water solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity	<ul> <li>ca.580.4 g/l at 10 °C (50 °F) - OECD Test Guideline 105ca.597.7 g/l at 20 °C (68 °F) - OECD Test Guideline 105</li> <li>log Pow: -2.94 at 20 °C (68 °F) - Bioaccumulation is not expected.</li> <li>&gt; 400 °C (&gt; 752 °F) - Relative self-ignition temperature for solidsdoes not ignite</li> <li>No data available</li> <li>No data available</li> </ul>

## 9.2 Other safety information

Surface tension

ca.66.6 mN/m at 1.01g/l at 20 °C (68 °F) - OECD Test Guideline 115

Sigma - M1254

Page 5 of 9



## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Acute toxicity estimate Oral - 2,500 mg/kg (Calculation method) LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available Dermal: No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (Regulation (EC) No. 440/2008, Annex, B.4)

#### Serious eye damage/eye irritation

Eyes - Chicken eye Result: No eye irritation - 10 s (OECD Test Guideline 438)

## Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: with and without metabolic activation

Sigma - M1254

Page 6 of 9



Method: OECD Test Guideline 487 Result: negative Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

## Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 66 Days - NOAEL (No observed adverse effect level) - 1,000 mg/kg

#### RTECS: QE9104530

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## **12.1 Toxicity**

Sigma - M1254

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 1,000 mg/l - 96 h

Page 7 of 9



(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l $$ - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC10 - activated sludge - > 1,080 mg/l - 3 h (OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 1 % - Not readily biodegradable. (OECD Test Guideline 301B)

**12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil

No data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

## 12.7 Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

## **13.1** Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14:** Transport information

## DOT (US)

Not dangerous goods

IMDG Sigma - M1254

Page 8 of 9



Not dangerous goods

## ΙΑΤΑ

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

No SARA Hazards

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.7 Revision Date: 03/02/2024 Print Date: 04/28/2024

Sigma - M1254

Page 9 of 9

