SDS #: 355 **Revision Date:** May 21, 2015

Signal Word

DANGER

Pictograms

Formic Acid Safety Data Sheet (SDS)

SCIENTIFIC

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Formic Acid

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261 Chemtrec Emergency Phone Number: (800) 424-9807

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 3). Flammable liquid and vapor (H226). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302).

Hazard class: Skin corrosion or irritation (Category 1). Causes severe skin burns and eye damage (H314).

Hazard class: Acute toxicity, inhalation (Category 3). Toxic if inhaled (H331). Avoid breathing gas, mist, vapors or spray (P261).

SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

| Component Name | CAS Number | Formula | Formula Weight | Concentration |
|---|---------------|---------|-------------------|---------------|
| Formic acid | 64-18-6 | НСООН | 46.03 | 88% (23.4M) |
| Synonyms: Aminic acid solution; Methanoic acid solution | | | | |

SECTION 4 — FIRST AID MEASURES

Immediately call a POISON CENTER or physician (P310). **If inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If on skin or hair:** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). Wash contaminated clothing before reuse (P363). **If swallowed:** Rinse mouth. Do NOT induce vomiting (P301+P330+P331).

SECTION 5 — FIRE FIGHTING MEASURES

| NFPA Class II combustible liquid. | NFPA Code |
|--|-----------|
| Flash point: 50 °C Flammable limits: Lower: 18% Upper: 57% Autoignition Temperature: 601 | H-3 |
| °C | F-2 |
| | R-0 |

00) 452-1261

When heated to decomposition, may emit toxic fumes.

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material, neutralize with sodium bicarbonate or calcium hydroxide, and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #1. Store with acids, anhydrides and peracids.

Keep cool (P235). Keep container tightly closed (P233). Store in a dedicated acid cabinet and away from any source of water; if an acid cabinet is not available, store in a Flinn Saf-Cube[™]. Avoid prolonged storage (see Section 10). Use only in a hood or well-ventilated area (P271).

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: PEL/TLV 5 ppm (OSHA/ACGIH); Ceiling 10 ppm (ACGIH)

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Clear, colorless, fuming liquid. Penetrating odor. Soluble: Water, alcohol, and ether Boiling point: 101 °C Melting point: 8.3 °C Refractive index: 1.3714 Specific gravity: 1.22

SECTION 10 - STABILITY AND REACTIVITY

Avoid contact with strong oxidizers, strong bases, and finely powdered metals.

Shelf life: Poor. Avoid extended storage. Upon aging, decomposes to carbon monoxide and water thus creating potential explosive danger in a tightly sealed bottle. Explosions have occurred.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute effects: Irritating to eyes, skin, and respiratory tract, blisters. Chronic effects: Skin irritation. Target organs: Eyes, skin, respiratory tract. ORL-RAT LD₅₀: 1100 mg/kg IHL-RAT LC₅₀: 15 g/m³/15m SKN-RBT LD₅₀: N.A.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #24a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Formic acid. Hazard class: 8, Corrosive. UN number: UN1779.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-579-1), RCRA code U123.

SECTION 16 - OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling,

Formic Acid SDS (Safety Data Sheet) | Flinn Scientific

storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated. N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: May 21, 2015