

# SAFETY DATA SHEET

Creation Date 29-Oct-2010

Revision Date 16-Mar-2018

**Revision Number** 1

# 1. Identification Product Name Isobutyric acid Cat No. : L04038 CAS-No 79-31-2 Synonyms 2-Methylpropionic acid Recommended Use Laboratory chemicals.

Not for food, drug, pesticide or biocidal product use

### Details of the supplier of the safety data sheet

### <u>Company</u>

Uses advised against

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 3
Skin Corrosion/irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

### Label Elements

### Signal Word Danger

Danger

## **Hazard Statements**

Flammable liquid and vapor Harmful if swallowed Toxic in contact with skin Causes severe skin burns and eye damage May cause respiratory irritation



### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Indestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

### Other hazards

Stench.

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Isobutyric acid	79-31-2	>95

# 4. First-aid measures

**General Advice** 

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.				
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move to fresh air. Immediate medical attention is required.				
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.				
Most important symptoms and effects	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				
Notes to Physician	Treat symptomatically				
	5. Fire-fighting measures				
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.				
Unsuitable Extinguishing Media	No information available				
Flash Point	59 °C / 138.2 °F				
Method -	No information available				
Autoignition Temperature	420 °C / 788 °F				
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	9.2% 2% et No information available No information available				

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

## **Hazardous Combustion Products**

......

Carbon monoxide (CO) Carbon dioxide (CO2)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	NFPA Health Flammability 3 2		Instability 0	Physical hazards N/A			
		6. Accidental rel	ease measures				
Personal	Precautions	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignitio Take precautionary measures against static discharges.					
Environn	nental Precautions	Should not be released into the environment. Do not flush into surface water or sanitary					

### sewer system.

Methods for Containment and CleanKeep in suitable, closed containers for disposal. Soak up with inert absorbent material.UpRemove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Corrosives area.
8. E	Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Stench
Odor Threshold	No information available
рН	2.9 (0.1M)
Melting Point/Range	-47 °C / -52.6 °F
Boiling Point/Range	153 - 154 °C / 307.4 - 309.2 °F @ 760 mmHg
Flash Point	59 °C / 138.2 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	9.2%
Lower	2%
Vapor Pressure	0.43 mmHg @ 20 °C
Vapor Density	3.04 (Air = 1.0)
Specific Gravity	0.950
Solubility	No information available
Partition coefficient; n-octanol/wa	ater No data available
Autoignition Temperature	420 °C / 788 °F

Decomposition Temperature Viscosity Molecular Formula Molecular Weight No information available 1.1 mPa s at 20 °C C4 H8 O2 88.11

10. Stability and reactivity					
Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.				
Incompatible Materials	Bases, Strong oxidizing agents, Reducing agents				
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)					
Hazardous Polymerization	Hazardous polymerization does not occur.				
Hazardous Reactions	None under normal processing.				
	11. Toxicological information				

Acute Toxicity

# Product Information

Component Informa	ation							
Componer	nt	LD50 Oral		LD50 Dermal	LC50 I	nhalation		
Isobutyric ad	cid	266 mg/kg(Rat)	475	mg/kg(Rabbit)	> 0.55 mg	∥/L(Rat)4 h		
			2230 mg/kg ( Rat )					
Toxicologically Syn	ergistic	No information avai	ilable					
Products								
Delayed and immed	liate effects	as well as chronic effect	cts from short an	d long-term exposu	re			
Irritation		No information avail	ilable					
Sensitization		No information avail	ilable					
Carcinogenicity		The table below inc	dicates whether ea	ach agency has listed	any ingredient a	as a carcinogen.		
Component	CAS-No	-	NTP	ACGIH	OSHA	Mexico		
Isobutyric acid 79-31-2 Not liste			Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information avai	No information available					
Reproductive Effec	ts	No information ava	No information available.					
Developmental Effe	ects	No information avail	No information available.					
Teratogenicity		No information avail	No information available.					
STOT - single expos STOT - repeated ex		Respiratory system None known	Respiratory system None known					
Aspiration hazard		No information avail	No information available					
Symptoms / effects delayed	s,both acute	Product is a corrosi Possible perforation	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation					

Ecotoxicity

### Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	omponent Freshwater Algae		Microtox	Water Flea			
Isobutyric acid	Isobutyric acid EC50: = 45 mg/L, 72h I		EC50 = 57 mg/L 17 h	EC50: = 51 mg/L, 48h			
	(Desmodesmus	static (Leuciscus idus)		(Daphnia magna Straus)			
	subspicatus)						
Persistence and Degrada	bility Persistence	is unlikely					
Bioaccumulation/ Accum	ulation No informat	ion available.					
Mobility	. Will likely	be mobile in the environmen	t due to its water solubility				
	Component		log Pow				
	sobutyric acid		0.88				
	13. D	isposal considera	ations				
Waste Disposal Methods	Chemical w	aste generators must detern	nine whether a discarded	chemical is classified as a			

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information					
DOT						
UN2529						
Proper Shipping Name ISOBUTYRIC ACID						
Hazard Class	3					
Subsidiary Hazard Class	8					
Packing Group	III					
TDG						
UN-No	UN2529					
Proper Shipping Name ISOBUTYRIC ACID						
Hazard Class 3						
Subsidiary Hazard Class 8						
Packing Group III						
<u>IATA</u>						
UN-No	UN2529					
Proper Shipping Name ISOBUTYRIC ACID						
Hazard Class 3						
Subsidiary Hazard Class	8					
Packing Group	III					
	IMDG/IMO					
<b>UN-No</b> UN2529						
Proper Shipping Name ISOBUTYRIC ACID						
Hazard Class	3					
Subsidiary Hazard Class	8					
Packing Group						
15. Regulatory information						

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Isobutyric acid	Х	Х	-	201-195-7	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Isobutyric acid	X	-	-	-

**Clean Air Act** 

Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component		Hazardous Substances RQs	CERCLA EHS RQs	
Isobutyric acid		5000 lb	-	
California Proposition 65	This product	does not contain any Proposition 65 che	emicals	

### U.S. State Right-to-Know

Regulations						
	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
	Isobutyric acid	Х	Х	Х	-	-

### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

### Mexico - Grade

Moderate risk, Grade 2

16. Other information		
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com	
Creation Date Revision Date Print Date Revision Summary	29-Oct-2010 16-Mar-2018 16-Mar-2018 SDS authoring systems update, replaces ChemGes SDS No. 79-31-2.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS