

SAFETY DATA SHEET

	1. Identification		
Product identifier	Vacuum Pump Oil (4383-07, 4383-24, 4383	-34, 4383-01)	
Other means of identification	Not available.		
Recommended use	Lubricating vacuum pumps		
Recommended restrictions	None known.		
Manufacturer information	Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMT	FREC)	
Supplier	See above.		
	2. Hazard identificatio	n	
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
WHMIS 2015 defined hazards	Not classified		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for cla	ssification.	
Precautionary statement			
Prevention	Observe good industrial hygiene practices.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance	e with local authority requiremer	its.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known		
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	Not applicable.		
	3. Composition/Information on i	ingredients	
Mixture			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotre heavy paraffinic	eated	64742-54-7	80-100*

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

4. First-aid measures		
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.	
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.	

Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.			
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.			
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically. Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
General information				
	5. Fire-fighting me	asures		
Suitable extinguishing media	Large Fires: Water spray. Water fog. Fo	am.		
•				
	Small Fires: Dry chemical powder. Cart	-	ıy.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher	, as this will spread the life.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and	full protective clothing must b	e worn in case of fire.	
Fire-fighting equipment/instructions	Move containers from fire area if you ca	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures an	d consider the hazards of othe	er involved materials.	
General fire hazards	No unusual fire or explosion hazards no	oted.		
Hazardous combustion products	May include and are not limited to: Oxic	les of carbon.		
	6. Accidental release	measures		
Personal precautions, protective equipment and emergency procedures	Keep out of low areas. Keep unnecessa spill/leak. Do not touch damaged contai protective clothing. For personal protec	ners or spilled material unless	wearing appropriate	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without	ut risk.		
containment and cleaning up	Large Spills: Dike the spilled material, w spreading. Absorb in vermiculite, dry sa waterways, sewer, basements or confir	nd or earth and place into cor	tainers. Prevent entry into	
	Small Spills: Wipe up with absorbent r remove residual contamination.	naterial (e.g. cloth, fleece). Cle	ean surface thoroughly to	
	Never return spills to original containers	for re-use. For waste disposa	al, see section 13 of the SDS	
Environmental precautions	Avoid discharge into drains, water cours			
	7. Handling and st	orage		
Precautions for safe handling	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Keep out of reach of children. Store in a closed			
Conditions for safe storage, including any incompatibilities	container away from incompatible materials. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).			
	8. Exposure controls/Perso	onal protection		
Occupational exposure limits				
	upational Health & Safety Code, Sched	ule 1, Table 2) Value	Form	
•	Туре			
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Safety Regulation 296/97, as Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	1 mg/m3	Mist.
•	g. 217/2006, The Workplace Safety An	•	_
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
•	istry of Labor - Regulation respecting	•	
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. Saskatchewan OEL Components	s (Occupational Health and Safety Re Type	gulations, 1996, Table 21) Value	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
US. OSHA Table Z-1 Limits f	or Air Contaminants (29 CFR 1910.10	00)	
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit	/alues		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to			
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	the ingredient(s).	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measures,	such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection			
Hand protection	Impervious gloves. Confirm with reput	able supplier first.	
Other	Wear suitable protective clothing.		
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).		
Thermal hazards	Not available.		
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

Appearance

Physical state	Liquid.	
Physical state Form	Liquid.	
Color	Colorless	
Odor	Slight hydrocarbon	
Ddor threshold	Not available.	
oH	Not available	
Melting point/freezing point	Not available.	
nitial boiling point and boiling	> 536 °F (> 280 °C)	
ange	2330 T (2200 C)	
Pour point	5 °F (-15 °C)	
Specific gravity	Not available.	
Partition coefficient (n-octanol/water)	> 6	
Flash point	437.0 °F (225.0 °C) Cleveland Open Cup	
Evaporation rate	Not available	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	osive limits	
Explosive limit - lower (%)	1	
Explosive limit - lower (%) temperature	1	
Explosive limit - upper (%)	10	
Explosive limit - upper (%) temperature	10	
Vapor pressure	Not available.	
/apor density	> 1 (Air = 1)	
Relative density	0.87 @15°C	
Solubility(ies)	Not available.	
Auto-ignition temperature	> 608 °F (> 320 °C) Not available	
Decomposition temperature	Not available.	
viscosity	40 - 46 cSt @ 40°C	
Other information		
Density	870 kg/m3 @ 15°C	
	10. Stability and reactivity	
Reactivity	This product may react with strong oxidizing agents.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Chemical stability	Material is stable under normal conditions.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Extremes of temperatures	ure and direct sunlight.
ncompatible materials	Strong oxidizing agents.	
Hazardous decomposition	May include and are not limited to: Oxides of carbon.	
products	11. Toxicological information	
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.	
nformation on likely routes of e	-	
Ingestion	May cause stomach distress, nausea or vomiting.	
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Repeated or prolonged skin exposure may cause acne/folliculitus.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	
Information on toxicological effe	cts	
Acute toxicity		
	Page: 4 of 7	Issue date 21-October-2022

Components	Species	Test Results
Distillates (petroleum), hydrotreate	•	4-7)
Acute		,
Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours, ECHA
		> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA
		> 5.3 mg/L, 4 Hours, ECHA
		> 5.2 mg/L, 4 Hours, ECHA
Oral		, c mg, _, moard, _ on , t
LD50	Rat	> 5000 mg/kg, ECHA
		> 2000 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may ca	use temporary irritation.
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening	Not available.	
value		
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to	cause skin sensitization.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Contains < 3% (w/w) DMSO-e	tract
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
(CAS 64742-54-7)	drotreated heavy paraffinic d Substances (29 CFR 1910.10	Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity to humans. 01-1052)
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Teratogenicity	Not available.	
Specific target organ toxicity -	Not classified.	
single exposure Specific target organ toxicity -	Not classified.	
repeated exposure		
Aspiration hazard	Not available.	
Chronic effects	The finished product is not exp	ected to have chronic health effects.
	12. Ecologic	al information
Ecotoxicity	See below	
Ecotoxicological data		
Components	Species	Test Results
Distillates (petroleum), hydrotreate	d heavy paraffinic (CAS 64742-8	4-7)
Crustacea	EC50 Daphnia	1000 mg/L, 48 Hours
Persistence and degradability	This product is not readily bioc	egradable.
Bioaccumulative potential	Bioaccumulation potential.	
Mobility in soil	Not available.	
Mobility in general	Not available.	

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

	13. Disposal considerations
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused productsDispose of in accordance with local regulations. Empty containers or liners may retain product residues. This material and its container must be disposed of in a safe mannee Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container emptied.
	14. Transport information
Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
U.S. Department of Transportati Not regulated as dangerous g Transportation of Dangerous Go Not regulated as dangerous g	goods. oods (TDG - Canada)
	15. Regulatory information
Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
Export Control List (CEPA 1 Not listed. Greenhouse Gases	999, Schedule 3)
Not listed. Precursor Control Regulation Not regulated.	ons
WHMIS 2015 Exemptions	Not applicable
US federal regulations	This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	All components of this material are on the TSCA Inventory.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)
Not listed. SARA 304 Emergency relea	se notification
Not regulated. OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.1001-1052)
Superfund Amendments and Re SARA 302 Extremely hazardous substance	eauthorization Act of 1986 (SARA) No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
	n 112 Hazardous Air Pollutants (HAPs) List
Clean Air Act (CAA) Section Not regulated.	
Not regulated. Clean Air Act (CAA) Sectior	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	ח 112(r) Accidental Release Prevention (40 CFR 68.130)

Ited heavy paraffinic (CAS Imunity Right-to-Know L Ited heavy paraffinic (CAS Ited heavy paraffinic (CAS Ited heavy paraffinic (CAS Ited heavy paraffinic (CAS	Law S 64742-54-7) S 64742-54-7) et of 1986 (Proposition 65): This material is not known to contain
Imunity Right-to-Know L Ited heavy paraffinic (CAS Ited heavy paraffinic (CAS nd Toxic Enforcement Act	Law S 64742-54-7) S 64742-54-7) et of 1986 (Proposition 65): This material is not known to contain
munity Right-to-Know L ted heavy paraffinic (CAS	Law S 64742-54-7)
munity Right-to-Know L ted heavy paraffinic (CAS	Law S 64742-54-7)
munity Right-to-Know L	Law
munity Right-to-Know L	Law
, , , , , , , , , , , , , , , , , , ,	,
tod hoovy poroffinio (CAS	
ted heavy paraffinic	Listed.
Is: Listed substance	
ted heavy paraffinic	Listed.
	Is: Listed substance ted heavy paraffinic ce List

Country(s) or region	Inventory name On	inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Vee" indicates that all some	ante of this product comply with the inventory requirements administered by the governing	a a

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information LEGEND HEALTH 1 1 1 1 FLAMMABILITY Severe 4 0 1 Serious 3 0 PHYSICAL HAZARD 2 Moderate Slight 1 PERSONAL Х Minimal 0 PROTECTION Disclaimer Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. 21-October-2022 Issue date Version # 01 Effective date 21-October-2022

Nu-Calgon Technical Service Phone: (314) 469-7000

Prepared by