

SAFETY DATA SHEET

Creation Date 11-Feb-2010

Revision Date 14-Feb-2020

Revision Number 2

1. Identification

Product Name

Nickel flake

Cat No. :

CAS-No Synonyms 7440-02-0 No information available

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

13788

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Sensitization Carcinogenicity Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Blood. Category 1 Category 2 Category 1

Label Elements

Signal Word Danger

Hazard Statements

May cause an allergic skin reaction Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/sprav Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Response IF exposed or concerned: Get medical attention/advice Skin IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse Storage Store locked up Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component		CAS-No	Weight %	
Nickel		7440-02-0	>95	
	4.	First-aid measures		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.			
Inhalation	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.			
Ingestion	Do NOT induce vomiting. Get medical attention.			
Most important symptoms and effects	swelling, trou	May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, che pain, muscle pain or flushing		
Notes to Physician	Treat symptomatically			
	5 Fi	re fighting measures		

5. Fire-fighting measures

Unsuitable Extinguishing Media

No information available

Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 3	Flammability 0	Instability 0	Physical hazards N/A		
	6. Accidental re	lease measures			
Personal Precautions	Use personal protective eq formation.	uipment as required. Ensure ad	dequate ventilation. Avoid dust		
Environmental Precautions	Do not flush into surface water or sanitary sewer system.				

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage Handling Use only under a chemical fume hood. Wear personal protective equipment/face protection. Avoid dust formation. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Avoid contact with skin, eyes or clothing.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Nickel	TWA: 1.5 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³	TWA: 1.5 mg/m ³
	_	TWA: 1 mg/m ³	TWA: 0.015 mg/m ³	-

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

	EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

7.11193100	in and chemical properties
Physical State	Solid
Appearance	No information available
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	1455 °C / 2651 °F
Boiling Point/Range	2732 - 2837 °C / 4949.6 - 5138.6 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	1 mmHg @ 1810 °C
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Ni
Molecular Weight	58.7

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products None under normal use conditions		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat)1 h

Toxicologically Syn Products Delayed and immed	-	No information ava		d long-term expos	sure	
Irritation		No information ava	ailable			
Sensitization		May cause sensitiz	zation by skin conta	act		
Carcinogenicity		The table below in	dicates whether ea	ach agency has liste	ed any ingredient	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel	7440-02-0	Group 2B	Reasonably Anticipated	Not listed	Х	Not listed
IARC (Internationa NTP: (National To)		arch on Cancer)	Group 1 - C Group 2A - Group 2B - NTP: (Natio Known - Kn	national Agency for Re arcinogenic to Humar Probably Carcinogeni Possibly Carcinogeni nal Toxicity Program) own Carcinogen • Anticipated - Reasor	ns ic to Humans c to Humans	
Mutagenic Effects		No information ava	ailable			
Reproductive Effects		No information available.				
Developmental Effects		No information available.				
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp		None known Kidney Blood				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	,both acute and			clude rash, itching, theadedness, chest		
Endocrine Disruptor Information No information available						
Other Adverse Effect	ts	The toxicological properties have not been fully investigated.				

12. Ecological information

Ecotoxicity The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	Not listed	EC50 = 510 μg/L 96h

Persistence and Degradability

Insoluble in water

Bioaccumulation/ Accumulation

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
DOT TDG	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Nickel	7440-02-0	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Nickel	7440-02-0	Х	-	231-111-4	Х	Х	Х	Х	KE-25818

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Nickel	7440-02-0	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel	-	-	Х	Х

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Nickel	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Nickel	100 lb	-
California Proposition 65 This prod	uct contains the following Proposition 65 ch	nemicals.

Component	CAS-No					Category Carcinogen	
Nickel	7440-02-0						
U.S. State Right-to-Know							
Regulations							
Component	Massachusetts	husetts New Jersey		ania	Illinois	Rhode Island	
Nickel	Х	Х	X		Х	Х	
U.S. Department of Transp Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutan U.S. Department of Homel Security Other International Regula Mexico - Grade	Y N nt N and This pro	duct does not contai mation available	n any DHS ch	emicals.			
Prepared By		16. Other inf Safety and Environm					
Creation Date Revision Date	Email: to www.alf 11-Feb- 14-Feb-	2010					
Print Date Revision Summary		14-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 7440-02-0/1.					

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS