

SAFETY DATA SHEET

Version 6.3 Revision Date 03/12/2019 Print Date 06/29/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Dimethyl sulfoxide

Product Number : D4540 Brand : Sigma CAS-No. : 67-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram none

Signal word Warning

Hazard statement(s)

H227 Combustible liquid.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Sigma - D4540 Page 1 of 9



P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : DMSO

Methyl sulfoxide

Formula : C_2H_6OS Molecular weight : 78.13 g/molCAS-No. : 67-68-5EC-No. : 200-664-3

Component	Classification	Concentration
Dimethyl sulfoxide		
	Flam. Liq. 4; H227	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma - D4540 Page 2 of 9



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical powder or carbon dioxide. Large amounts of water are ineffective. Cool containers with large amounts of water.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Sulphur oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore SigMa

Sigma - D4540 Page 3 of 9

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental
				Exposure Levels (WEEL)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 38 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma - D4540 Page 4 of 9



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour No data available

c) Odour Threshold No data availabled) pH No data available

e) Melting point/range: 16 - 19 °C (61 - 66 °F)

point/freezing pointf) Initial boiling point 189 °C 372 °F and boiling range

g) Flash point 87 °C (189 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available gas)

j) Upper/lower Upper explosion limit: 42 %(V) flammability or explosive limits Upper explosion limit: 3.5 %(V)

k) Vapour pressure 0.55 hPa at 20 °C (68 °F)

I) Vapour density 2.70 - (Air = 1.0)

m) Relative density 1.1 g/mL

n) Water solubility completely miscible

o) Partition coefficient: log Pow: -2.03

n-octanol/water

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Relative vapour 2.70 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Sigma - D4540 Page 5 of 9

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 14,500 mg/kg LC50 Inhalation - Rat - 4 h - 40250 ppm LD50 Dermal - Rabbit - > 5,000 mg/kg No data available

Skin corrosion/irritation

Mild skin irritation

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Mouse

lymphocyte

Cytogenetic analysis

Mouse

lymphocyte

Mutation in mammalian somatic cells.

Rat

Cytogenetic analysis

Mouse

DNA damage

Carcinogenicity

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

Sigma - D4540 Page 6 of 9

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: PV6210000

Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence Eyes - Eye disease - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia

and other aquatic

EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h (OECD Test Guideline 202)

invertebrates

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 17,000 mg/l

- 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Result: 31 % - According to the results of tests of biodegradability

this product is not readily biodegradable.

(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma - D4540 Page 7 of 9



12.6 Other adverse effects

No data available

Stability in water - 0.12 - 1.2 h at 30 °C

Remarks: Hydrolyses readily.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide)

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Dimethyl sulfoxide CAS-No. Revision Date 67-68-5 2007-03-01

New Jersey Right To Know Components

Sigma - D4540 Page 8 of 9

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Further information

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3 Revision Date: 03/12/2019 Print Date: 06/29/2019

Sigma - D4540 Page 9 of 9

