

Common Name: LOW ODOR MINERAL SPIRITS

Manufacturer: SUNNYSIDE

SDS Revision Date: 5/28/2015

SDS Format: GHS-US

Grainger Item Number(s): 44ZU14, 44ZU22, 5KPY3

Manufacturer Model Number(s):

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE](#)
- [2. HAZARDS IDENTIFICATION](#)
- [3. COMPOSITION/INFORMATION ON INGREDIENTS](#)
- [4. FIRST AID MEASURES](#)
- [5. FIRE-FIGHTING MEASURES](#)
- [6. ACCIDENTAL RELEASE MEASURES](#)
- [7. HANDLING AND STORAGE](#)
- [8. EXPOSURE CONTROLS/PERSONAL PROTECTION](#)
- [9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10. STABILITY AND REACTIVITY](#)
- [11. TOXICOLOGICAL INFORMATION](#)
- [12. ECOLOGICAL INFORMATION](#)
- [13. DISPOSAL CONSIDERATIONS](#)
- [14. TRANSPORT INFORMATION](#)
- [15. REGULATORY INFORMATION](#)
- [16. OTHER INFORMATION](#)

SAFETY DATA SHEET

PRODUCT NUMBER: 803

ISSUING DATE: NO DATA AVAILABLE

REVISION DATE: 05/28/15

REVISION NUMBER: 2

UL

THE SUPPLIER IDENTIFIED BELOW GENERATED THIS SDS USING THE UL SDS TEMPLATE. UL DID NOT TEST, CERTIFY, OR APPROVE THE SUBSTANCE DESCRIBED IN THIS SDS, AND ALL INFORMATION IN THIS SDS WAS PROVIDED BY THE SUPPLIER OR WAS REPRODUCED FROM PUBLICALLY AVAILABLE REGULATORY DATA SOURCES. UL MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING THE COMPLETENESS OR ACCURACY OF THE INFORMATION IN THIS SDS AND DISCLAIMS ALL LIABILITY IN CONNECTION WITH THE USE OF THIS INFORMATION OR THE SUBSTANCE DESCRIBED IN THIS SDS. THE LAYOUT, APPEARANCE AND FORMAT OF THIS SDS IS (C) 2014 UL LLC. ALL RIGHTS RESERVED.

COMPANY/UNDERTAKING

PRODUCT IDENTIFIER:

PRODUCT NAME: SUNNYSIDE LOW ODOR MINERAL SPIRITS

OTHER MEANS OF IDENTIFICATION:

SYNONYMS: NONE

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE:

PAINT THINNER (*NOTE FUTURE CARB REQUIREMENTS: 2013 - 3 WT%)

USES ADVISED AGAINST: NO INFORMATION AVAILABLE

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER NAME: SUNNYSIDE CORPORATION

SUPPLIER ADDRESS:

225 CARPENTER AVENUE

WHEELING, IL 60090

US

SUPPLIER PHONE NUMBER:

PHONE: 8003238611

FAX: 8475419043

SUPPLIER EMAIL: SSCONTACT@SUNNYSIDECORP.COM

EMERGENCY TELEPHONE NUMBER:

CHEM TREC: 8004249300

2. HAZARDS IDENTIFICATION



CLASSIFICATION:

THIS CHEMICAL IS CONSIDERED HAZARDOUS BY THE 2012 OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

ASPIRATION TOXICITY: CATEGORY 1

FLAMMABLE LIQUIDS: CATEGORY 3

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

EMERGENCY OVERVIEW:

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

FLAMMABLE LIQUID AND VAPOR

HEALTH HAZARD

FLAME

APPEARANCE: CLEAR

PHYSICAL STATE: LIQUID

ODOR: PETROLEUM DISTILLATES

PRECAUTIONARY STATEMENTS - PREVENTION:

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING
KEEP CONTAINER TIGHTLY CLOSED
GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT
USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT
USE ONLY NON-SPARKING TOOLS
TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE
WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION

PRECAUTIONARY STATEMENTS - RESPONSE:

SKIN:

IF ON SKIN (OR HAIR):

REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER

INGESTION:

IF SWALLOWED:

IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN
DO NOT INDUCE VOMITING

FIRE:

IN CASE OF FIRE: USE CO2, DRY CHEMICAL, OR FOAM FOR EXTINCTION

PRECAUTIONARY STATEMENTS - STORAGE:

STORE LOCKED UP
STORE IN A WELL-VENTILATED PLACE. KEEP COOL

PRECAUTIONARY STATEMENTS - DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE

UNKNOWN TOXICITY:

0% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY

OTHER INFORMATION:

MAY BE HARMFUL IN CONTACT WITH SKIN PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

INTERACTIONS WITH OTHER CHEMICALS: NO INFORMATION AVAILABLE.

3. COMPOSITION/INFORMATION ON INGREDIENTS



CHEMICAL NAME	CAS NO	WEIGHT-%	TRADE SECRET
---------------	--------	----------	--------------

MINERAL SPIRITS	64742-88-7	60 - 100	
-----------------	------------	----------	--

*THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET

4. FIRST AID MEASURES



FIRST AID MEASURES:

GENERAL ADVICE:

IMMEDIATE MEDICAL ATTENTION IS REQUIRED. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.

EYE CONTACT:

IF SYMPTOMS PERSIST, CALL A PHYSICIAN. RINSE IMMEDIATELY WITH PLENTY OF WATER, ALSO UNDER THE EYELIDS, FOR AT LEAST 15 MINUTES. KEEP EYE WIDE OPEN WHILE RINSING. DO NOT RUB AFFECTED AREA. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

SKIN CONTACT:

IN THE CASE OF SKIN IRRITATION OR ALLERGIC REACTIONS SEE A PHYSICIAN. WASH OFF IMMEDIATELY WITH SOAP AND PLENTY OF WATER WHILE REMOVING ALL CONTAMINATED CLOTHES AND SHOES.

INHALATION:

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, (TRAINED PERSONNEL SHOULD) GIVE OXYGEN.

INGESTION:

DO NOT INDUCE VOMITING. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION. RINSE MOUTH IMMEDIATELY AND DRINK PLENTY OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

SELF-PROTECTION OF THE FIRST AIDER:

ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL(S) INVOLVED, TAKE PRECAUTIONS TO PROTECT THEMSELVES AND PREVENT SPREAD OF CONTAMINATION.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

MOST IMPORTANT SYMPTOMS AND EFFECTS:

DIFFICULTY IN BREATHING. COUGHING AND/OR WHEEZING. DIZZINESS.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

NOTES TO PHYSICIAN:

TREAT SYMPTOMATICALLY. BECAUSE OF THE DANGER OF ASPIRATION, EMESIS OR GASTRIC LAVAGE SHOULD NOT BE EMPLOYED UNLESS THE RISK IS JUSTIFIED BY THE PRESENCE OF ADDITIONAL TOXIC SUBSTANCES.

5. FIRE-FIGHTING MEASURES



SUITABLE EXTINGUISHING MEDIA:

DRY CHEMICAL, CO₂, WATER SPRAY OR REGULAR FOAM. USE WATER SPRAY OR FOG; DO NOT USE STRAIGHT STREAMS.

UNSUITABLE EXTINGUISHING MEDIA:

CAUTION: USE OF WATER SPRAY WHEN FIGHTING FIRE MAY BE INEFFICIENT.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: SOME MAY BE TRANSPORTED HOT.

UNIFORM FIRE CODE:

COMBUSTIBLE LIQUID: II

HAZARDOUS COMBUSTION PRODUCTS: CARBON OXIDES.

EXPLOSION DATA:

SENSITIVITY TO MECHANICAL IMPACT: NO.
SENSITIVITY TO STATIC DISCHARGE: YES.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:
MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO IT WITHOUT RISK.

6. ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS:

ENSURE ADEQUATE VENTILATION. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. EVACUATE PERSONNEL TO SAFE AREAS. SEE SECTION 8 FOR MORE INFORMATION. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS OR FLAMES IN IMMEDIATE AREA). PAY ATTENTION TO FLASHBACK. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES. ALL EQUIPMENT USED WHEN HANDLING THE PRODUCT MUST BE GROUNDED. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL.

OTHER INFORMATION:

WATER SPRAY MAY REDUCE VAPOR; BUT MAY NOT PREVENT IGNITION IN CLOSED SPACES.

ENVIRONMENTAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

PREVENT ENTRY INTO WATERWAYS, SEWERS, BASEMENTS OR CONFINED AREAS.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT:

A VAPOR SUPPRESSING FOAM MAY BE USED TO REDUCE VAPORS. ABSORB OR COVER WITH DRY EARTH, SAND OR OTHER NON-COMBUSTIBLE MATERIAL AND TRANSFER TO CONTAINERS.

METHODS FOR CLEANING UP:

DIKE FAR AHEAD OF LIQUID SPILL FOR LATER DISPOSAL. SOAK UP WITH INERT ABSORBENT MATERIAL. USE CLEAN NON-SPARKING TOOLS TO COLLECT ABSORBED MATERIAL.

7. HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:

HANDLING:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. USE PERSONAL PROTECTION EQUIPMENT. AVOID BREATHING VAPORS OR MISTS. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING. USE GROUNDING AND BONDING CONNECTION WHEN TRANSFERRING THIS MATERIAL TO PREVENT STATIC DISCHARGE, FIRE OR EXPLOSION. USE WITH LOCAL EXHAUST VENTILATION. USE SPARK-PROOF TOOLS AND EXPLOSION-PROOF EQUIPMENT. KEEP IN AN AREA EQUIPPED WITH SPRINKLERS. USE ACCORDING TO PACKAGE LABEL INSTRUCTIONS. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL-VENTILATED PLACE. PROTECT FROM MOISTURE. STORE LOCKED UP. KEEP OUT OF THE REACH OF CHILDREN.

STORE AWAY FROM OTHER MATERIALS. KEEP AWAY FROM HEAT, SPARKS, FLAME AND OTHER SOURCES OF IGNITION (I.E., PILOT LIGHTS, ELECTRIC MOTORS AND STATIC ELECTRICITY). KEEP IN PROPERLY LABELED CONTAINERS. DO NOT STORE NEAR COMBUSTIBLE MATERIALS. KEEP IN AN AREA EQUIPPED WITH SPRINKLERS. STORE IN ACCORDANCE WITH THE PARTICULAR NATIONAL REGULATIONS. STORE IN ACCORDANCE WITH LOCAL REGULATIONS.

INCOMPATIBLE PRODUCTS:

STRONG OXIDIZING AGENTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



CONTROL PARAMETERS:

EXPOSURE GUIDELINES:

THIS PRODUCT, AS SUPPLIED, DOES NOT CONTAIN ANY HAZARDOUS MATERIALS WITH OCCUPATIONAL EXPOSURE LIMITS ESTABLISHED BY THE REGION SPECIFIC REGULATORY BODIES

APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING MEASURES:

SHOWERS
EYEWASH STATIONS
VENTILATION SYSTEMS

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: TIGHT SEALING SAFETY GOGGLES.

SKIN AND BODY PROTECTION:

WEAR PROTECTIVE GLOVES AND PROTECTIVE CLOTHING. LONG SLEEVED CLOTHING. CHEMICAL RESISTANT APRON. IMPERVIOUS GLOVES. ANTISTATIC BOOTS.

RESPIRATORY PROTECTION:

NO PROTECTIVE EQUIPMENT IS NEEDED UNDER NORMAL USE CONDITIONS. IF EXPOSURE LIMITS ARE EXCEEDED OR IRRITATION IS EXPERIENCED, VENTILATION AND EVACUATION MAY BE REQUIRED.

HYGIENE MEASURES:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. REGULAR CLEANING OF EQUIPMENT, WORK AREA AND CLOTHING IS RECOMMENDED. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

9. PHYSICAL AND CHEMICAL PROPERTIES



PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE: LIQUID

APPEARANCE: CLEAR

ODOR: PETROLEUM DISTILLATES

COLOR: COLORLESS

ODOR THRESHOLD: NO INFORMATION AVAILABLE

PROPERTY	VALUES	REMARKS/ METHOD
PH	N/A	NONE KNOWN
MELTING / FREEZING POINT	NO DATA AVAILABLE	NONE KNOWN
BOILING POINT / BOILING RANGE	149 DEG. C / 300 DEG. F	NONE KNOWN
FLASH POINT	42 C / 108 F	NONE KNOWN
EVAPORATION RATE	NO DATA AVAILABLE	NONE KNOWN
FLAMMABILITY (SOLID, GAS)	N/A	NONE KNOWN
FLAMMABILITY LIMIT IN AIR:		
UPPER FLAMMABILITY LIMIT	NO DATA AVAILABLE	
LOWER FLAMMABILITY LIMIT	0.9%	
VAPOR PRESSURE	2 MMHg@20C	NONE KNOWN
VAPOR DENSITY	NO DATA AVAILABLE	NONE KNOWN
SPECIFIC GRAVITY	NO DATA AVAILABLE	NONE KNOWN
WATER SOLUBILITY	NO DATA AVAILABLE	NONE KNOWN
SOLUBILITY IN OTHER SOLVENTS	INSOLUBLE IN WATER	NONE KNOWN
PARTITION COEFFICIENT N-OCTANOL/WATER	NO DATA AVAILABLE	NONE KNOWN
AUTOIGNITION TEMPERATURE	445 DEG. F	NONE KNOWN
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE	NONE KNOWN
KINEMATIC VISCOSITY	NO DATA AVAILABLE	NONE KNOWN
DYNAMIC VISCOSITY	NO DATA AVAILABLE	NONE KNOWN
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE	
OXIDIZING PROPERTIES	NO DATA AVAILABLE	
OTHER INFORMATION:		
SOFTENING POINT	NO DATA AVAILABLE	
VOC CONTENT (%)	100%	
PARTICLE SIZE	NO DATA AVAILABLE	
PARTICLE SIZE DISTRIBUTION		

10. STABILITY AND REACTIVITY



REACTIVITY: NO DATA AVAILABLE.

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL PROCESSING.

HAZARDOUS POLYMERIZATION: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

CONDITIONS TO AVOID: HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS: NONE KNOWN BASED ON INFORMATION SUPPLIED.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES.

11. TOXICOLOGICAL INFORMATION



INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

INHALATION:

SPECIFIC TEST DATA FOR THE SUBSTANCE OR MIXTURE IS NOT AVAILABLE. ASPIRATION INTO LUNGS CAN PRODUCE SEVERE LUNG DAMAGE. MAY CAUSE PULMONARY EDEMA. PULMONARY EDEMA CAN BE FATAL. MAY CAUSE IRRITATION OF RESPIRATORY TRACT.

EYE CONTACT:

SPECIFIC TEST DATA FOR THE SUBSTANCE OR MIXTURE IS NOT AVAILABLE. MAY CAUSE IRRITATION.

SKIN CONTACT: REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

INGESTION:

SPECIFIC TEST DATA FOR THE SUBSTANCE OR MIXTURE IS NOT AVAILABLE. POTENTIAL FOR ASPIRATION IF SWALLOWED. MAY CAUSE LUNG DAMAGE IF SWALLOWED. ASPIRATION MAY CAUSE PULMONARY EDEMA AND PNEUMONITIS. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

COMPONENT INFORMATION:

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
MINERAL SPIRITS	>5000 MG/KG (RAT)	= 3000 MG/KG (RABBIT)	>5.28 MG/L (RAT) 4 H

INFORMATION ON TOXICOLOGICAL EFFECTS:

SYMPTOMS:

DIFFICULTY IN BREATHING. COUGHING AND/OR WHEEZING. ASTHMA-LIKE AND/OR SKIN ALLERGY-LIKE SYMPTOMS.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

SENSITIZATION: NO INFORMATION AVAILABLE.

MUTAGENIC EFFECTS: NO INFORMATION AVAILABLE.

CARCINOGENICITY: CONTAINS NO INGREDIENT LISTED AS A CARCINOGEN.

REPRODUCTIVE TOXICITY: NO INFORMATION AVAILABLE.

STOT - SINGLE EXPOSURE: NO INFORMATION AVAILABLE.

STOT - REPEATED EXPOSURE: NO INFORMATION AVAILABLE.

CHRONIC TOXICITY:

NO KNOWN EFFECT BASED ON INFORMATION SUPPLIED. ASPIRATION MAY CAUSE PULMONARY EDEMA AND PNEUMONITIS.

TARGET ORGAN EFFECTS: RESPIRATORY SYSTEM.

ASPIRATION HAZARD: NO INFORMATION AVAILABLE.

NUMERICAL MEASURES OF TOXICITY PRODUCT INFORMATION:

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS DOCUMENT:

ATEMIX (DERMAL): 3,000.00 MG/KG (ATE)

12. ECOLOGICAL INFORMATION



ECOTOXICITY:

THE ENVIRONMENTAL IMPACT OF THIS PRODUCT HAS NOT BEEN FULLY INVESTIGATED.

PERSISTENCE AND DEGRADABILITY: NO INFORMATION AVAILABLE.

BIOACCUMULATION: NO INFORMATION AVAILABLE

OTHER ADVERSE EFFECTS: NO INFORMATION AVAILABLE.

13. DISPOSAL CONSIDERATIONS



WASTE TREATMENT METHODS:

DISPOSAL METHODS:

THIS MATERIAL, AS SUPPLIED, IS A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATIONS (40 CFR 261).

CONTAMINATED PACKAGING:

DISPOSE OF CONTENTS/CONTAINERS IN ACCORDANCE WITH LOCAL REGULATIONS.

US EPA WASTE NUMBER: D001

CALIFORNIA HAZARDOUS WASTE CODES: 213

14. TRANSPORT INFORMATION



DOT: NOT REGULATED (IF SHIPPED IN NON BULK PACKAGING BY GROUND TRANSPORT)

PROPER SHIPPING NAME: NON-REGULATED

HAZARD CLASS: N/A

EMERGENCY RESPONSE GUIDE NUMBER: 128

TDG:

UN-NO.: UN1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.

HAZARD CLASS: 3

PACKING GROUP: III

MEX:

UN-NO.: UN1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.

HAZARD CLASS: 3
PACKING GROUP: III
DESCRIPTION: UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III

ICAO:
UN-NO.: UN1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
DESCRIPTION: 1268, PETROLEUM DISTILLATES, N.O.S., 3, PG III

IATA:
UN-NO.: 1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
DESCRIPTION: UN1268, PETROLEUM DISTILLATES, N.O.S., 3, PG III

IMDG/IMO:
UN-NO.: 1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
EMS NO.: F-E, S-E
DESCRIPTION: 1268, PETROLEUM DISTILLATES, N.O.S., 3, PG III, FP 42C

RID:
UN-NO.: 1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
CLASSIFICATION CODE: F1
DESCRIPTION: 1268 PETROLEUM DISTILLATES, N.O.S., 3, III

ADR:
UN-NO.: UN1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
CLASSIFICATION CODE: F1
DESCRIPTION: UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III

ADN:
UN-NO.: UN1268
PROPER SHIPPING NAME: PETROLEUM DISTILLATES, N.O.S.
HAZARD CLASS: 3
PACKING GROUP: III
CLASSIFICATION CODE: F1
DESCRIPTION: UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III
HAZARD LABELS: 3
LIMITED QUANTITY: LQ7
VENTILATION: VE01

15. REGULATORY INFORMATION



INTERNATIONAL INVENTORIES:

TSCA: COMPLIES
DSL: ALL COMPONENTS ARE LISTED EITHER ON THE DSL OR NDSL.

TSCA: UNITED STATES TOXIC SUBSTANCES CONTROL ACT SECTION 8(B) INVENTORY

DSL/NDSL: CANADIAN DOMESTIC SUBSTANCES LIST/NON-DOMESTIC SUBSTANCES LIST

US FEDERAL REGULATIONS:

SARA 313:

SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA). THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF THE ACT AND TITLE 40 OF THE CODE OF FEDERAL REGULATIONS, PART 372

SARA 311/312 HAZARD CATEGORIES:

ACUTE HEALTH HAZARD: YES
CHRONIC HEALTH HAZARD: NO
FIRE HAZARD: YES
REACTIVE HAZARD: NO
SUDDEN RELEASE OF PRESSURE HAZARD: NO

CWA (CLEAN WATER ACT):

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS POLLUTANTS PURSUANT TO THE CLEAN WATER ACT (40 CFR 122.21 AND 40 CFR 122.42)

CERCLA:

THIS MATERIAL, AS SUPPLIED, DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS HAZARDOUS SUBSTANCES UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA) (40 CFR 302) OR THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) (40 CFR 355). THERE MAY BE SPECIFIC REPORTING REQUIREMENTS AT THE LOCAL, REGIONAL, OR STATE LEVEL PERTAINING TO RELEASES OF THIS MATERIAL

US STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

THIS PRODUCT MAY CONTAIN TRACE AMOUNTS OF CHEMICALS WHICH ARE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM, AND MAYBE SUBJECT TO THE REQUIREMENTS OF CALIFORNIA PROPOSITION 65.

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA	RHODE ISLAND	ILLINOIS
---------------	------------	---------------	--------------	--------------	----------

MINERAL SPIRITS X

INTERNATIONAL REGULATIONS:

CANADA:

WHMIS HAZARD CLASS:

B3 - COMBUSTIBLE LIQUID
D2B - TOXIC MATERIALS

16. OTHER INFORMATION



NFPA:

HEALTH HAZARDS	2
FLAMMABILITY	2
INSTABILITY	0
PHYSICAL AND CHEMICAL HAZARDS	

HMIS:

HEALTH HAZARDS 2

FLAMMABILITY 2
PHYSICAL HAZARD 0
PERSONAL PROTECTION X

PREPARED BY:
PRODUCT STEWARDSHIP
23 BRITISH AMERICAN BLVD.
LATHAM, NY 12110
1-800-572-6501

REVISION DATE: 17-SEP-2014

REVISION NOTE: NO INFORMATION AVAILABLE

DISCLAIMER:

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT