

# SAFETY DATA SHEET

Version 6.6 Revision Date 09/15/2021 Print Date 01/15/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Methylamine solution

Product Number : 426466

Brand : Sigma-Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : This product is not intended for consumer use.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion (Category 1), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma-Aldrich - 426466

Millipore SigMa

| Hazard statement(s)<br>H225<br>H302<br>H314<br>H331<br>H335 | Highly flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Toxic if inhaled. May cause respiratory irritation.  |
|---|--|
| Precautionary statement(s) P210                             | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  |
| P233<br>P240<br>P241<br>P242<br>P243                        | Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. |
| P261<br>P264<br>P270<br>P271                                | Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.                                     |
| P280<br>P301 + P312 + P330                                  | Wear protective gloves/ protective clothing/ eye protection/ face protection.  IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.   |
| P301 + P330 + P331<br>P303 + P361 + P353                    | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  |
| P304 + P340 + P310  | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.   |
| P305 + P351 + P338 +<br>P310                                | IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  |
| P363<br>P370 + P378   | Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  |
| P403 + P233<br>P403 + P235<br>P405<br>P501                  | Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.                                 |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Synonyms : Monomethylamine

Formula :  $CH_5N$ 

Molecular weight : 31.06 g/mol

| Component               |         | Classification           | Concentration   |  |  |
|-------------------------|---------|--------------------------|-----------------|--|--|
| methylamine in solution |         |                          |                 |  |  |
| CAS-No.                 | 74-89-5 | Flam. Liq. 1; Acute Tox. | 4; >= 30 - < 50 |  |  |





| EC-No.       | 200-820-0         | Skin Corr. 1B; Eye Dam. | % |
|--------------|-------------------|-------------------------|---|
| Index-No.    | 612-001-01-6      | 1; STOT SE 3; H224,     |   |
| Registration | 01-2119475496-25- | H302, H332, H314, H318, |   |
| number       | XXXX              | H335                    |   |
|              |                   | Concentration limits:   |   |
|              |                   | >= 5 %: STOT SE 3,      |   |
|              |                   | H335;                   |   |

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Carbon oxides

Nitrogen oxides (NOx)

Mixture with combustible ingredients.



Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Storage class



Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

| ingredients with |         | Control pa | ii aiiietei S |                                 |
|------------------|---------|------------|---------------|---------------------------------|
| Component        | CAS-No. | Value      | Control       | Basis                           |
|                  |         |            | parameters    |                                 |
| methylamine in   | 74-89-5 | TWA        | 5 ppm         | USA. ACGIH Threshold Limit      |
| solution         |         |            |               | Values (TLV)                    |
|                  |         | STEL       | 15 ppm        | USA. ACGIH Threshold Limit      |
|                  |         |            |               | Values (TLV)                    |
|                  |         | TWA        | 10 ppm        | USA. NIOSH Recommended          |
|                  |         |            | 12 mg/m3      | Exposure Limits                 |
|                  |         | TWA        | 10 ppm        | USA. Occupational Exposure      |
|                  |         |            | 12 mg/m3      | Limits (OSHA) - Table Z-1       |
|                  |         |            | J.            | Limits for Air Contaminants     |
|                  |         | TWA        | 10 ppm        | USA. OSHA - TABLE Z-1 Limits    |
|                  |         |            | 12 mg/m3      | for Air Contaminants -          |
|                  |         |            | <i>J,</i>     | 1910.1000                       |
|                  |         | PEL        | 5 ppm         | California permissible exposure |
|                  |         |            | 6.4 mg/m3     | limits for chemical             |
|                  |         |            |               | contaminants (Title 8, Article  |
|                  |         |            |               | 107)                            |
|                  |         | STEL       | 15 ppm        | California permissible exposure |
|                  |         |            | 19 mg/m3      | limits for chemical             |
|                  |         |            | ]             | contaminants (Title 8, Article  |
|                  |         |            |               | 107)                            |

### 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min



Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 60 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Flame retardant antistatic protective clothing.

# Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odor unpleasant

c) Odor Threshold No data available d) pH 14.0 at 100 g/l

e) Melting -40 °C (-40 °F)

point/freezing point

f) Initial boiling point 48 °C 118 °F and boiling range

g) Flash point -10 °C (14 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

k) Vapor pressure 371 hPa at 20 °C (68 °F)

I) Vapor density 1.07 - (Air = 1.0)

Millipore SigMa m) Density 0.897 g/mL at 25 °C (77 °F)

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: log Pow: -0.713

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties No data available

# 9.2 Other safety information

Surface tension 19.19 mN/m at 25 °C (77 °F)

Relative vapor 1.07 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Vapors may form explosive mixture with air.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Warming.

#### 10.5 Incompatible materials

acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Phosphorus halides

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

LD50 Oral - Rat - 698 mg/kg

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

LC50 Inhalation - Rat - 4 h - > 2.1 - < 2.9 mg/l

Inhalation: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

Mixture causes serious eye damage. Risk of blindness!

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

### Specific target organ toxicity - single exposure

Remarks: No data available

Mixture may cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### 11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

# methylamine in solution

### **Acute toxicity**

LD50 Oral - Rat - male and female - 698 mg/kg (OECD Test Guideline 401)

Inhalation: Corrosive to respiratory system.

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l

(Expert judgment)

Dermal: No data available

# Skin corrosion/irritation

Causes severe burns.

### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male

Result: negative

Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system, Stomach

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity

# **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

No data available



# **Components**

# methylamine in solution

No data available

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 163 mg/l - 48

and other aquatic h

invertebrates Remarks: (ECHA)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - >

281.8 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria EC20 - activated sludge - 240 mg/l - 30 min

(ISO 8192)

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1235 Class: 3 (8) Packing group: II Proper shipping name: Methylamine, aqueous solution

Reportable Quantity (RQ): 250 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1235 Class: 3 (8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: METHYLAMINE, AQUEOUS SOLUTION

**IATA** 

UN number: 1235 Class: 3 (8) Packing group: II Proper shipping name: Methylamine, aqueous solution

# **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Sigma-Aldrich - 426466

Millipppp

Fire Hazard, Acute Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 09/15/2021 Print Date: 01/15/2022

