# SIGMA-ALDRICH

sigma-aldrich.com

# **SAFETY DATA SHEET**

Version 4.10 Revision Date 08/10/2016 Print Date 10/04/2019

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Ammonium persulfate
	Product Number Brand Index-No.	:	A3678 Sigma 016-060-00-6
	CAS-No.	:	7727-54-0
1.2	Relevant identified uses of the substance or mixture and uses advised agains		
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of t	he	safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

#### 1.4 **Emergency telephone number**

**Emergency Phone #** : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 3), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H302 + H312	Harmful if swallowed or in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
40070	· •

H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

Synonyms	: AP
	Ammonium peroxodisulfate
	APS
	PER

Formula	:	$H_8N_2O_8S_2$
Molecular weight	:	228.20 g/mol
CAS-No.	:	7727-54-0
EC-No.	:	231-786-5
Index-No.	:	016-060-00-6

#### Hazardous components

Component	Classification	Concentration
Diammonium peroxodisulphate		
	Ox. Sol. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Resp. Sens. 1; Skin Sens. 1; STOT SE 3; Aquatic Acute 3; H272, H302, H315, H317, H319,	<= 100 %

Ammonium peroxydisulfate

|--|

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# **5.2** Special hazards arising from the substance or mixture Container explosion may occur under fire conditions.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

May intensify fire; oxidizer.Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Keep in a dry place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Diammonium	7727-54-0	TWA	0.100000	USA. ACGIH Threshold Limit Values
peroxodisulphate			mg/m3	(TLV)
	Remarks	Skin irritatior	า	
		varies		
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Skin irritation	ו	
		varies		

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	1.0 - 2 at 228 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	7.88 - (Air = 1.0)
m)	Relative density	1.980 g/cm3
n)	Water solubility	228 g/l at 20 °C (68 °F) - completely soluble
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the category 3.
Oth		

Bulk density

900 kg/m3

9.2

### **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

May decompose on exposure to moist air or water. Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No data available

**10.4 Conditions to avoid** No data available

**10.5 Incompatible materials** Strong reducing agents, Organic materials, Powdered metals

# 10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Sulphur oxides In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 689 mg/kg

Inhalation: No data available

LD50 Dermal - Rat - > 2,000 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation

Eyes - Rabbit Result: Mild eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

- Guinea pig Result: Causes sensitisation. (OECD Test Guideline 406)

# Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard No data available

# Additional Information

RTECS: SE0350000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 76 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 120 mg/l - 48 h

other aquatic invertebrates

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5** Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

### **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 1444 Class: 5.1 Proper shipping name: Ammonium persulfate Reportable Quantity (RQ): Packing group: III

Poison Inhalation Hazard: No

#### IMDG

	UN number: 1444 Proper shipping name:	Class: 5.1 : AMMONIUM PERSULPI	Packing group: HATE	111	EMS-No	: F-A, S-Q	
	<b>IATA</b> UN number: 1444 Proper shipping name:	Class: 5.1 : Ammonium persulphate	Packing group:	111			
15. R	EGULATORY INFORM	IATION					
	SARA 302 Compone No chemicals in this m	nts naterial are subject to the	reporting requirer	nents of SAF	RA Title II	I, Section 302.	
		ents are subject to reporti	ing levels establis	hed by SAR/ CAS-No. 7727-54-0		Section 313: Revision Date 2007-03-01	
	Diammonium peroxoc	•		1121-54-0		2007-03-01	
	SARA 311/312 Hazards Reactivity Hazard, Acute Health Hazard						
	Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.						
	Pennsylvania Right To Know Components						
	Diammonium peroxoo	disulphate		CAS-No. 7727-54-0		Revision Date 2007-03-01	
	New Jersey Right To	Know Components					
	Diammonium peroxoo	disulphate		CAS-No. 7727-54-0		Revision Date 2007-03-01	
	California Prop. 65 C	components	nown to State of C	alifornia to c	ause can	cer birth defects	or any other

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute Eye Irrit. H272 H302 H312 H315 H317 H319 H334 H335 H402 H412	Acute toxicity Acute aquatic toxicity Eye irritation May intensify fire; oxidizer. Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard NFPA Rating Health hazard:	ard: * 0 1 2
Fire Hazard: Reactivity Hazard: Special hazard.I: - A3678	0 1 OX

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.10

Revision Date: 08/10/2016

Print Date: 10/04/2019