

# **SAFETY DATA SHEET**

Version 6.2 Revision Date 01/15/2020 Print Date 05/29/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Chlorobenzene

Product Number : 284513

Brand : Sigma-Aldrich Index-No. : 602-033-00-1 CAS-No. : 108-90-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Short-term (acute) aquatic hazard (Category 3), H402

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Sigma-Aldrich - 284513 Page 1 of 11



Hazard statement(s) H226 H315 H332 H402 H411	Flammable liquid and vapour. Causes skin irritation. Harmful if inhaled. Harmful to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	The state of the s
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Component	Classification	Concentration
Chlorobenzene		
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Aquatic Acute 2; Aquatic Chronic 2; H226, H332, H315, H401, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 284513 Page 2 of 11



### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

### Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Sigma-Aldrich - 284513 Page 3 of 11



### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Components with workplace control parameters

Components than the Kpiace control parameters								
Component	CAS-No.	Value	Control	Basis				
			parameters					
Chlorobenzene	108-90-7	TWA	10 ppm	USA. ACGIH Threshold Limit				
				Values (TLV)				
	Remarks	Liver damage						
		Substances for which there is a Biological Exposure Index						
		or Indices (see BEI® section)						
		Confirmed animal carcinogen with unknown relevance to						
		humans						
		See Append	es with No Established RELs					
		TWA	75 ppm	USA. Occupational Exposure				
			350 mg/m3	Limits (OSHA) - Table Z-1				
				Limits for Air Contaminants				
		The value in mg/m3 is approximate.						

Sigma-Aldrich - 284513 Page 4 of 11



PEL	10 ppm 46 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
-----	--------------------	---

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Chlorobenzene	108-90-7	4- Chlorocatec hol	100mg/g Creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at end of workweek			
		p- Chlorophen ol	20mg/g Creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift at end of workweek			

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our

Millipore

customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour weak

c) Odour Threshold No data availabled) pH No data available

e) Melting point/range: -45 °C (-49 °F) - lit. point/freezing point

f) Initial boiling point 132 °C 270 °F - lit. and boiling range

g) Flash point 27 °C (81 °F) - DIN 51755 Part 1

h) Evaporation rate No data availablei) Flammability (solid, gas)No data available

k) Vapour pressure 12.05 hPa at 20 °C (68 °F) - OECD Test Guideline 104

I) Vapour density No data available

m) Relative density 1.106 g/cm3 at 25 °C (77 °F) - lit.

n) Water solubility No data available

o) Partition coefficient: log Pow: 3 - - (External MSDS)

n-octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available



## temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401)
LC50 Inhalation - Rat - male - 4 h - 15.57 mg/l (OECD Test Guideline 403)
No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

# Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse

Millipore SigMa Result: negative

(OECD Test Guideline 429)

# Germ cell mutagenicity

No data available

Ames test

Salmonella typhimurium

Result: negative

Mutagenicity (mammal cell test):

Chinese hamster lung cells

Result: negative

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: negative

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

RTECS: CZ0175000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Systemic effects:

CNS disorders, tachycardia, drop in blood pressure, agitation, spasms, ataxia (impaired locomotor coordination), narcosis, Headache

Damage to: Liver, Kidney

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 4.5 mg/l -

96 h

Remarks: (ECHA)

Sigma-Aldrich - 284513 Page 8 of 11

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 26 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC10 - Desmodesmus subspicatus (green algae) - 5.8

mg/l - 72 h

(OECD Test Guideline 201)

static test ErC50 - Desmodesmus subspicatus (green algae) - 11.4

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 140 mg/l - 30 min

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 15 % - Not readily biodegradable.

(OECD Test Guideline 301F) aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 301C)

Theoretical oxygen

2,060 mg/g Remarks: (Lit.)

Ratio BOD/ThBOD

demand

1.5 %

Remarks: (Lit.)

### 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 49 d

at 25 °C(Chlorobenzene)

Bioconcentration factor (BCF): 3.9 - 23

(OECD Test Guideline 305C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical



incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

# **Contaminated packaging**

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene Reportable Quantity (RQ): 100 lbs Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1134 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: CHLOROBENZENE

Marine pollutant : yes

**IATA** 

UN number: 1134 Class: 3 Packing group: III

Proper shipping name: Chlorobenzene

# **SECTION 15: Regulatory information**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 108-90-7 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

**Reportable Quantity** D021 lbs

**Massachusetts Right To Know Components** 

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Chlorobenzene CAS-No. Revision Date 108-90-7 2007-07-01

Sigma-Aldrich - 284513 Page 10 of 11

### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2 Revision Date: 01/15/2020 Print Date: 05/29/2020

Sigma-Aldrich - 284513 Page 11 of 11

