



MATERIAL SAFETY DATA SHEET

Philube® L Plus EP Grease (All Grades)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Synonyms: Lubricant with Lithium additive, L Plus EP-00, L; Plus EP-0, L Plus EP-1, L Plus EP-2, Non-Lead grease

Formula: Mixture

Chemical Family: Mixture

CAS Number: Mixture

SAP Code: 1013020; 1013021; 1013009; 1013010; 1013011; 1013012; 1013013; 1013014; 1013015

Product Code: 94060; 94070; 94030; 94040

MSDS Number: US390710

NFPA Ratings: Health 0, Flammability 1, Reactivity 0

HMIS Ratings: Flammability 1, Reactivity 0, Health 0

Intended Use(s): General Purpose grease for automotive, industrial and agricultural use

The intended use of this product is indicated above, if any additional use is known please contact us at the Technical Information number listed below.

Manufactured By:
Phillips 66 Company
A Division of Phillips Petroleum Company
Bartlesville, Oklahoma 74004

Phone Numbers
Emergency: (918) 661-8118
Technical Information: (800) 766-0050
For Additional MSDSs: (918) 661-5974

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Specification and CAS #	Weight % In Product	ACGIH TLV (TWA)	ACGIH Short Term Exposure Limit	ACGIH Ceiling Limits	ACGIH Skin Designation	OSHA Final PEL (TWA)	OSHA - Final PELs - Ceiling Limits	OSHA - Final PELs - Skin Notation
Solvent deasphalted residual oil 64741-95-3 or	< 90	NE	NE	NE	NE	NE	NE	NE
Severely Hydrotreated Naphthenic Oil 64742-52-5	< 90	NE	NE	NE	NE	NE	NE	NE
Solvent refined distillate, heavy naphthenic 64741-96-4	~ 80	NE	NE	NE	NE	NE	NE	NE
Residual oils 64742-62-7	~ 14	NE	NE	NE	NE	NE	NE	NE
Lithium soap	~ 8	NE	NE	NE	NE	NE	NE	NE
Castor oil, hydrogenated, lithium salt 64754-95-6	~ 4	NE	NE	NE	NE	NE	NE	NE
Proprietary additive	~ 3	NE	NE	NE	NE	NE	NE	NE

See Section 8 for additional Exposure Limits.

3. HAZARDS IDENTIFICATION

Emergency Overview

Non-Hazardous. Pressure Injection.

Potential Acute Health Effects

Eye Contact: May cause mild irritation.

Skin Contact: May cause mild irritation with prolonged or repeated contact.

Inhalation: No acute effects expected due to low vapor pressure.

Ingestion: Slightly toxic (LD50 > 5 gm/kg).

Subchronic and Chronic Effects:

Prolonged and repeated exposure to oil mist poses a risk of pulmonary disease such as lung inflammation. This condition usually causes no symptoms.

Aggravated Medical Conditions: No Known Applicable Information

4. FIRST AID MEASURES

Eye Contact: Flush eyes with running water. If irritation or adverse symptoms develop, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation or adverse symptoms develop, seek medical attention.

Inhalation: Remove from exposure. If illness or adverse symptoms develop, seek medical attention.

Ingestion: If illness or adverse symptoms develop, seek medical attention.

Notes To Physician: For injection injuries, immediate medical treatment is required. Physicians may call the emergency number (918) 661-8118.

5. FIRE FIGHTING MEASURES

Flash Point: >356F (>180C)

FP Method: COC

Ignition Temperature: Unknown

Flammable Limits (% by Volume in Air)

Lower Explosive Limit - Not Established

Upper Explosive Limit - Not Established

Fire Extinguishing Media: Dry chemical, foam or carbon dioxide (CO₂), water

Fire Fighting Procedures: Evacuate area and fight fire from a safe distance. Use NIOSH approved self-contained breathing apparatus and other protective equipment and/or garments described in Section 8 if conditions warrant. Use water spray to cool nearby containers and structures exposed to fire.

Fire and explosion hazards: Oxides of carbon, nitrogen, boron, zinc, sulfur and lithium may be released when burned.

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

Avoid contact with eyes, skin or clothing. Avoid breathing vapors, mist, fume or dust. Wash thoroughly after handling. Use with adequate ventilation. Wear protective equipment and/or garments described in Section 8 if exposure conditions warrant. Launder contaminated clothing before reuse. Store in closed container. Store in well-ventilated area.

If pressure injected under the skin, can cause gangrene if not treated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses.

Respiratory Protection: For concentrations exceeding an applicable exposure limit, use NIOSH approved air purifying respirator equipped with P95 filters, for particulate with time weighted average exposure limit not less than 0.5 mg/M3.

Skin Protection: Use gloves resistant to the material(s) contained in this product.

Ventilation: Use adequate ventilation to control concentrations below applicable exposure limits.

Other Personal Protection: Personal protection information shown in Section 8 is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

Exposure Limits: OSHA PEL and ACGIH TLV for oil mists is 5 mg/m3.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Grease
Appearance:	Dark Amber
Odor:	Mineral Oil
Odor Threshold (ppm):	Unknown
Boiling Point:	>500F (>260C)
Melting/Freeze Point:	Not Established
Vapor Pressure:	<0.1 mm Hg @ 20C (68F)
Vapor Density (Air=1):	>1
Specific Gravity @ 20 C (Water=1):	0.87-0.93 @ 60/60F (16/16C)
Percent Volatile by Volume:	Negligible
Evaporation Rate (Butyl Acetate=1):	<0.1
Water Solubility:	Slight
Viscosity:	197 cSt @ 104F (40C)(Base Oil)

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Incompatibility (Materials to Avoid):	None known.
Hazardous Decomposition Products:	Strong oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite, calcium hypochlorite, etc.

11. TOXICOLOGICAL INFORMATION

Other Health Effects:

These products may contain petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking or severe hydrotreating. None of the oils require a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Pressurized injection of product under the skin can lead to seriously inflamed tissue. If left untreated injury can become gangrenous.

Continuous skin contact with used motor oils has caused skin cancer in laboratory animals. Avoid prolonged skin contact with used motor oil.

12. ECOLOGICAL INFORMATION

No data at this time.

13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Shipping Description:	Not Regulated
IMDG Shipping Description:	Not Regulated
ICAO/IATA Proper Shipping Name:	Not Regulated

15. REGULATORY INFORMATION

Solvent deasphalted residual oil < 90 64741-95-3
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Severely Hydrotreated Naphthenic Oil < 90 64742-52-5
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Solvent refined distillate, heavy naphthenic ~ 80 64741-96-4
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Residual oils ~ 14 64742-62-7
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Lithium soap ~ 8

Regulated Substance on TSCA Inventory: Listed

Castor oil, hydrogenated, lithium salt ~ 4 64754-95-6

Regulated Substance on TSCA Inventory: Listed

Proprietary additive ~ 3

Regulated Substance on TSCA Inventory: Listed

EPA SARA 311/312 (Title III Hazard Categories)

Acute Health: No

Chronic Health: No

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

16. OTHER INFORMATION

Revision Summary:

This Material Safety Data Sheet (MSDS) has been revised to conform with the American National Standards Institute (ANSI) 16 Section Format.

Preparer: Health, Environment and Safety Department

Date Prepared: 05/18/2001

Supersedes: 05/28/1993

Phillips Petroleum Company (references to Phillips Petroleum Company or Phillips includes its divisions, affiliates and subsidiaries) believes that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of Phillips, Phillips expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.