

+1.703.527.3887 (INT)

# SAFETY DATA SHEET

# **Ethyl Acetate**

This SDS is valid for all grades and catalog #s

### 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF SUPPLIER

**Product Identifier:** High Purity Chemicals

**Synonyms:** Acetic acid ethyl ester; ethyl ethanoate; ethyl acetic ester, acetic ester;

acetoxyethane

Other means of identification: CAS No. 141-78-6

EINECS No. 205-500-4

Recommended use of the chemical and restrictions on use:

**Supplier Details:** 

Pharmco Products, Inc. Pharmco Products, Inc.

58 Vale Road, Brookfield, 1101 Isaac Shelby Drive, Shelbyville,

CT 06804, USA.

Tel: 203.740.3471

Fax: 203.740.3481

KY 40065, USA.

Tel: 502.232.7600

Fax: 502.633.6100

CCN17213 CCN17213

Emergency Contact: CHEMTREC: 1.800.424.9300 (USA) / +1.703.527.3887 (International)

#### 2. HAZARDS IDENTIFICATION

**OSHA Hazards:** 

Flammable liquid, Target Organ Effect, Irritant

**Target Organs:** 

Blood, Central nervous system, Kidney, Liver

**NFPA** 

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF



# GHS label elements, including precautionary statements





# Signal Word:

DANGER!

#### **Hazard statement(s)**

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

#### Precautionary statement(s)

P261	Avoid breathing	g dust/fumes/gas/mist/vapors.
. =0.	, troid broatining	g addition gad mile tapore.

Call a POISON CENTER or doctor/ physician if you feel unwell. P312

P501 Dispose of contents and container to an approved waste disposal plant.

P240 Ground/bond container and receiving equipment. P337 + P313 If eye irritation persists: Get medical attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Seek

+1.703.527.3887 (INT)

medical attention.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. P303 + P361 + P353

Rinse skin with water.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P210 Keep away from heat, sparks, open flames, and hot surfaces. No

smoking.

P233 Keep container tightly closed.

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

P405 Store locked up.

P243 Take precautionary measures against static discharge.

Use explosion-proof electrical, ventilating, and lighting equipment. P241

P242 Use only non-sparking tools.

Use only outdoors or in a well-ventilated area. P271

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye and face protection.

SDS: 252 Revision Date: 06.17.15 **Revision Number: 3.1** Initials: EF



+1.703.527.3887 (INT)

### **GHS Classification(s)**

Eye irritation (Category 2)

Flammable Liquids (Category 2)

Specific target organ toxicity - single exposure (Category 3)

#### Other hazards which do not result in classification:

#### **Potential Health Effects:**

Organ	Description
Eyes	Causes eye irritation.
Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and
Illialation	dizziness.
Skin	Harmful if absorbed through skin. Causes skin irritation.

#### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical identity: Ethyl Acetate

**Common name / Synonym:** Acetic acid ethyl ester; ethyl ethanoate; ethyl acetic ester, acetic ester;

acetoxyethane

 CAS number:
 141-78-6

 EINECS number:
 205-500-4

 ICSC number:
 0367

**RTECS #**: AH5425000

**UN #**: 1173

**EC #:** 607-022-00-5

% Weight	Material	CAS
100	Ethyl Acetate	141-78-6

# 4. FIRST AID MEASURES

#### General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### Skin

Wash skin with soap and copious amounts of water. Seek medical attention.

#### Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF

Page 3 of 10



+1.703.527.3887 (INT)

#### **Eyes**

Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical attention.

#### Ingestion

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

# 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Carbon oxides expected to be the primary hazardous combustion product.

#### Special protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

#### **Unusual Fire and Explosion Hazards:**

- May produce a floating fire hazard.
- Static ignition hazard can result from handling and use.
- Vapors may travel to source of ignition and flash back.
- · Vapors may settle in low or confined spaces.

#### Flammable Properties

#### Classification

OSHA/NFPA Class IB Flammable Liquid.

#### Flash point

-4 °C (24 °F) - Closed Cup

#### **Autoignition temperature**

426 °C (800 °F)

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures:

Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### **Environmental precautions:**

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF



+1.703.527.3887 (INT)

#### Methods and materials for containment and cleaning up:

Highly flammable liquid. Eliminate all sources of ignition. All equipment used when handling this product must be grounded. A vapor suppressing foam may be used to reduce vapors. Do not touch or walk through spilled material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. Use clean non-sparking tools to collect absorbed material.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

#### Conditions for safe storage, including any incompatibilites:

Keep container tightly closed in a cool, dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters, e.g., occupational exposure limit values or biological limit values:

#### **Occupational Exposure Limits**

Component	Source	Type	Value	Note
Ethyl Acetate	US (ACGIH)	TWA	400 ppm	ACGIH Threshold Limit Value
Ethyl Acctato	TIE (OSHV)	Τ\Λ/Λ	400 ppm 1400 mg/m2	29 CFR 1910.1000 Table Z-1 Limits for Air
Elliyi Acelale	US (USHA)	IVVA	400 ppm, 1400 mg/m3	Contaminants

#### **Appropriate engineering controls:**

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

#### Individual protection measures, such as personal protective equipment:

#### Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF

Page 5 of 10



+1.703.527.3887 (INT)

### Eye protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.

#### Skin and body protection:

Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

#### Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Liquid. Colorless, clear.
Freezing point	-84 °C (-119 °F)
Initial boiling point and boiling range	77 °C (171 °F)
Flash point	-4 °C (24 °F) - Closed Cup
Upper / Lower flammability or explosive limits	2 %(V) / 11.5 %(V)
Vapor pressure	97.3 hPa (73.0 mmHg) at 20.0 °C (68.0 °F)
Relative Density	0.902 g/mL at 25 °C (77 °F)
Solubility(ies)	soluble
Auto-ignition temperature	426 °C (800 °F)
Formula (ETHYL ACETATE)	C4H8O2
Molecular Weight (ETHYL ACETATE)	88.1 g/mol

# 10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	Vapors may form explosive mixture with air.	
Conditions to avoid (e.g., static discharge,	Heat, flames, and sparks. Extreme temperatures and direct	
shock or vibration)	sunlight.	
Incompatible materials	Strong oxidizing agents	
Hazardaya dagampasitian products	Hazardous decomposition products formed under fire	
Hazardous decomposition products	conditions Carbon oxides	

#### 11. TOXICOLOGICAL INFORMATION

• Ethyl Acetate 141-78-6

**Product Summary:** 

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF

Page 6 of 10



# Product Information: 203.740.3471 Emergency Assistance (CHEMTREC): 1.800.424.9300 (USA) +1.703.527.3887 (INT)

Not known to be toxic to the reproductive system, teratogenic, or carcinogenic. Has demonstrated some mutagenic effects in animals.

#### **Acute Toxicity:**

LC50 (Inhalation)	Rat	22,627 ppm	4 hours
LD50 (Dermal)	Rabbit	20,000 mg/kg	
LD50 (Oral)	Rat	11,300 mg/kg	

#### Irritation:

#### **Eyes**

Causes eye irritation.

#### Skin

Slightly irritating to the skin. Repeated contact with neat product may dry the skin causing cracking and/or fissuring.

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Other Hazards**

Organ	Description
Eyes	May cause irritation with redness, tearing, pain and/or blurred vision.
Ingestion	May be harmful if swallowed. May cause throat irritation, nausea, vomiting, and central nervous system effects. Aspiration hazard: breathing product into the lungs during ingestion or vomiting may cause lung injury and possible death.
Inhalation	High concentrations of vapor or mist may be harmful if inhaled. High concentrations of vapor or mist may irritate the respiratory tract (nose, throat, and lungs). High concentrations of vapor or mist may cause nausea, vomiting, headaches, dizziness, loss of coordination, numbness, and other central nervous system effects; and/or liver and kidney damage. Massive acute overexposure may cause rapid central nervous system depression, sudden collapse, coma, and/or death.
Skin	This product may cause irritation, redness, and/ or drying. This product is not likely to be absorbed through the skin in harmful amounts. In rare instances, repeated skin contact with ethyl acetate may cause sensitization.

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF

Page 7 of 10



+1.703.527.3887 (INT)

Chronic

Prolonged or repeated inhalation may cause toxic effects. Prolonged or repeated eye contact may cause inflammation of the membrane lining the eyelids and covering the eyeball (conjunctivitis). Prolonged or repeated skin contact may cause drying, cracking, redness, itching, and/or swelling (dermatitis). In rare instances, repeated skin contact with ethyl acetate may cause sensitization. Prolonged or repeated exposure may have reproductive toxicity or mutagenic effects.

#### 12. ECOLOGICAL INFORMATION

• Ethyl Acetate 141-78-6

Ecotoxicity (aquatic and terrestrial, where available):

**Acute Fish Toxicity (ETHYL ACETATE)** 

LC50 / 96 hours Fathead Minnow 230mg/L

Persistence and degradability:

Biodegradation is expected.

Bioaccumulative potential:

Biaccumulation is unlikely

#### 13. DISPOSAL CONSIDERATIONS

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

Description of waste residues and information on their safe handling and methods of disposal:

UN number	UN1173
UN proper shipping name	Ethyl acetate
Transport hazard class(es)	3
Packing group (if applicable)	II

Reportable Quantity

5,000 lbs.

**IMDG** 

SDS: 252 Revision Date: 06.17.15 **Revision Number: 3.1** Initials: EF

Page 8 of 10



+1.703.527.3887 (INT)

UN-Number: UN1173 Class: 3 Packing Group: II

EMS-No: F-E, S-D

Proper shipping name: ETHYL ACETATE

Marine pollutant: No

**IATA** 

UN-Number: UN1173 Class: 3 Packing Group: II

Proper shipping name: Ethyl acetate

#### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations specific for the product in question:

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Irritant

All ingredients are on the following inventories or are exempted from listing

Country	Notification
Australia	AICS
Canada	DSL
China	IECS
European Union	EINECS
Japan	ENCS/ISHL
Korea	ECL
New Zealand	NZIoC
Philippines	PICCS
United States of America	TSCA

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard Fire Hazard

#### **CERCLA**

Ethyl acetate CAS-No. 141-78-6, RQ: 5,000 lbs

#### **Massachusetts Right To Know Components**

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF

Page 9 of 10



+1.703.527.3887 (INT)

Ethyl acetate CAS-No. 141-78-6 Revision Date 2007-03-01

#### **Pennsylvania Right To Know Components**

Ethyl acetate CAS-No. 141-78-6 Revision Date 2007-03-01

# **New Jersey Right To Know Components**

Ethyl acetate CAS-No. 141-78-6 Revision Date 2007-03-01

#### **California Prop 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION: INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

#### **Disclaimer**

PHARMCO-AAPER believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, PHARMCO-AAPER does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.

SDS: 252 Revision Date: 06.17.15 Revision Number: 3.1 Initials: EF