

SAFETY DATA SHEET

Creation Date 09-Feb-2015 Revision Date 19-Jan-2018 Revision Number 4

1. Identification

Product Name Lithium borohydride

Cat No.: AC206810000; AC206810050; AC206810100; AC206810500

CAS-No 16949-15-8

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Substances/mixtures which, in contact with water, emit Category 1

flammable gases

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 3

Category 3

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

In contact with water releases flammable gases which may ignite spontaneously

Toxic if swallowed

Toxic in contact with skin

Causes severe skin burns and eye damage

May cause respiratory irritation

Toxic if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in a dry place. Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Reacts violently with water

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|---------------------|------------|----------|
| Lithium borohydride | 16949-15-8 | 95 |

4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

Revision Date 19-Jan-2018 Lithium borohydride

attention is required.

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if Inhalation

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Most important symptoms and

effects

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically **Notes to Physician**

5. Fire-fighting measures

CO₂, dry chemical, dry sand, alcohol-resistant foam. **Suitable Extinguishing Media**

DO NOT USE WATER **Unsuitable Extinguishing Media**

Flash Point No information available Method -No information available

Autoignition Temperature

Explosion Limits

75.6 vol % Upper Lower 4.0 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

Hazardous Combustion Products

Oxides of boron Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 3 | 2 | W |

6. Accidental release measures

Personal Precautions

Environmental Precautions

Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation. Should not be released into the environment. See Section 12 for additional ecological information.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Do not expose spill to water.

| | 7. Handling and storage |
|----------|---|
| Handling | Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors/dust. Avoid dust formation. Do not allow contact with water. |
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from water. Store under an inert atmosphere. |

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use only under a chemical fume hood. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Powder Solid

Appearance White

Odor No information available
Odor Threshold No information available
pH No information available

Melting Point/Range

Melting Point/Range

Ro information available
280 °C / 536 °F

Boiling Point/Range

No information available
No information available
No information available

Evaporation Rate Not applicable Flammability (solid,gas) No information available

Flammability or explosive limits

Upper 75.6 vol % **Lower** 4.0 vol %

Vapor Pressure 4.0 vol %
No information available

Vapor Density Not applicable

Specific GravityNo information availableSolubilityReacts violently with water

Partition coefficient; n-octanol/water No data available

Autoignition Temperature

Decomposition Temperature > 280°C

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Moisture sensitive.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture.

Incompatible Materials Acids, Water, Strong oxidizing agents, Alcohols, Amines, Halogens, Acid anhydrides,

Chloroformates

Revision Date 19-Jan-2018 Lithium borohydride

Hazardous Decomposition Products Oxides of boron. Thermal decomposition can lead to release of irritating gases and vapors

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing. Reacts violently with water.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | |
|---------------------|----------------------|-------------|-----------------|--|
| Lithium borohydride | 87.8 mg/kg (Mouse) | Not listed | Not listed | |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------------|------------|------------|------------|------------|------------|------------|
| Lithium borohydride | 16949-15-8 | Not listed |

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Do not empty into drains.

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1413

Proper Shipping Name LITHIUM BOROHYDRIDE

Hazard Class 4.3 Packing Group

TDG

UN-No UN1413

Proper Shipping Name LITHIUM BOROHYDRIDE

Hazard Class 4.3 Packing Group

<u>IATA</u>

UN-No UN1413

Proper Shipping Name LITHIUM BOROHYDRIDE

Hazard Class 4.3 Packing Group

IMDG/IMO

UN-No UN1413

Proper Shipping Name LITHIUM BOROHYDRIDE

Hazard Class 4.3 Packing Group

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|---------------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Lithium borohydride | X | - | Χ | 241-021-7 | 1 | | Χ | 1 | Χ | Χ | Χ |

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------------|---------------|------------|--------------|----------|--------------|
| Lithium borohydride | - | X | - | - | - |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

| 16. Other information |
|-----------------------|
|-----------------------|

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 09-Feb-2015

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS