

Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision date: 07.02.2018	Version: 6.1	Print date: 07.02.2018	
SECTION 1: Identificatio	'n		
SECTION 1. Identificatio	11		
Droduct identifier			

Product identifier

Trichloroacetic acid ACS 0133-VBD no data available 76-03-9

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use:	For Further Manufacturing Use Only
Uses advised against:	Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Supplier

VWR International LLC	
Street	100 Matsonford Road Radnor Corporate Center,
	Building One, Suite 200 P. O. Box 6660
Postal code/city	Radnor, PA 19087
Telephone	+1-800-932-5000 toll-free within US/Canada
	+1-610-386-1700
Telefax:	+1-610-728-2103





Manufacturer

VWR Chemicals, LLC Street

Postal code/city

28600 Fountain Parkway Solon, OH 44139

Emergency telephone

Telephone

+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

Preparation Information

VWR International - Data Compliance

E-mail

sds@vwr.com

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Skin corrosion, category 1A	H314
Specific target organ toxicity (single exposure), category 3, vascular	H335

2.2 Label elements

Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard pictograms



Signal word: Danger

Hazard statements	
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Precautionary	
statements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P308+P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.

Hazards not otherwise classified (HNOC)





none/none

SECTION 3: Composition / information on ingredients

3.1 Substances

Substance name	Trichloroacetic acid (glacial)
Molecular formula	ССІЗСООН
Molecular weight	163.39 g/mol
CAS No.	76-03-9

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTER/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

4.5 Information to physician

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product itself does not burn.





Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons no restriction

5.2 Specific hazards arising from the chemical

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Hydrogen chloride (HCl)

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Protective equipment and precautions for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated objects and areas thoroughly observing environmental regulations. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid: Inhalation Avoid contact with skin and eyes. Use extractor hood (laboratory). If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Protect from moisture.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Ambient temperature Keep container tightly closed and in a well-ventilated place. Store product under (gas): Nitrogen Do not allow contact with air.

7.3 Specific end use(s)

no data available





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact		
Suitable material:	NBR (Nitrile rubber)	
Thickness of the glove material:	0,12 mm	
Breakthrough time (maximum wearing time):	> 480 min	
By long-term hand contact		
Suitable material:	NBR (Nitrile rubber)	
Thickness of the glove material:	0,38 mm	

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

> 480 min

Additional information

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available

Breakthrough time (maximum wearing time):





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	solid
Color:	colorless
(b) Odour:	no data available
(c) Odour threshold:	no data available

Safety relevant basic data

(d) pH:	< 1 (50 g/l; H₂O; 20 °C)
(e) Melting point/freezing point:	54-56 °C
(f) Initial boiling point and boiling range:	196 °C (1013 hPa)
(g) Flash point:	113 °C (closed cup)
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	1.2 hPa (50 °C)
(I) Vapour density:	no data available
(m) Relative density:	1.63 g/cm³ (20 °C);1.62 g/cm³ (25 °C)
(n) Solubility(ies)	
Water solubility (g/L):	1,300 g/l (20 °C)
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	1.33 (20 °C)
(p) Auto-ignition temperature:	711 °C
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

9.2 Other information

Bulk density: Refraction index: Dissociation constant: Surface tension: Henry constant: 1.63 g/cm³ (20 °C);1.62 g/cm³ (25 °C) 1.4775 (589 nm; 20 °C) no data available no data available no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available





10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

10.7 Additional information

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: LD50: > 3320 mg/kg - Rat - (IUCLID)

Acute dermal toxicity: no data available

Acute inhalation toxicity: no data available

Irritant and corrosive effects

Primary irritation to the skin: Causes severe skin burns and eye damage.

Irritation to eyes: Causes serious eye damage.

Irritation to respiratory tract: May cause respiratory irritation.

Respiratory or skin sensitization

In case of skin contact: not sensitising After inhalation: not sensitising

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure not applicable





CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available

Additional information

no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity: LC50: 2500 mg/l (96 h)

LC50: 2500 mg/l (96 h) - Knapek, R., and S. Lakota 1974. Biological Testing to Determine Toxic Effects of Pesticides in Water. (Einige Biotestszur Untersuchung der Toxischen Wirkung von Pestiziden im Wasser). Tagungsber.Akad.Landwirtschaftswiss.D.D.R. 126:105-109 (GER)

Daphnia toxicity:

EC50: 2000 mg/l (48 h)

EC50: 2000 mg/l (48 h) - U.S.Army Med.Bioeng.Res.Dev.Lab., Tech.Rep.No.7904, Fort Detrick, MD :40 p. (NTIS/AD-AO81 098/6)

Algae toxicity: no data available

Bacteria toxicity: no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: 1.33 (20 °C)





12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: 060106

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

no data available

SECTION 14: Transport information

Land transport (DOT)

UN-No.:	1839
Proper Shipping Name:	TRICHLOROACETIC ACID
Class(es):	8
Classification code:	C4
Hazard label(s):	8
Packing group:	Ш
Environmental hazards:	No
Marine pollutant:	no data available
Special precautions for user:	

Sea transport (IMDG)

UN-No.:	1839
Proper Shipping Name:	TRICHLOROACETIC ACID, SOLID
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	II
Environmental hazards:	No
MARINE POLLUTANT:	No
Special precautions for user:	
Segregation group:	1





EmS-No. F-A S-B Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	1839
Proper Shipping Name:	TRICHLOROACETIC ACID, SOLID
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	II
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 313 Components
Not listed.
Massachusetts Right To Know Components
Listed
Pennsylvania Right To Know Components
Listed
New Jersey Right To Know Components
Listed
California Prop. 65 Components
Listed





SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts DOT - Department of Transportation IARC - International Agency for Research on Cancer IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit STV - Short Term Value SVHC - Substances of Very High Concern **TDG** - Transport of Dangerous Goods TLV - Threshold Limit Value vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes: general update

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.

